

**ATHENS COUNTY
ENGINEER'S OFFICE**

2026

**ATH-2026 OEMA
LANDSLIDE REPAIRS**

**OEMA Project SDRPMarAPR2025 / OPWC Project No. CU39AC
Athens County, Ohio**

BID NOTICE
SPECIFICATIONS
PROPOSAL
CONTRACT



ATHENS COUNTY ENGINEER:

Jeff Maiden, P.E., P.S.

ATHENS COUNTY COMMISSIONERS:

Lenny Eliason

Chris Chmiel

Charles Adkins

ATHENS COUNTY AUDITOR:

Jill A. Davidson

BID OPENING: 10:00 am., Tuesday, September 22, 2026

**LOCATION: ATHENS COUNTY COMMISSIONER'S OFFICE
15 S. COURT STREET, ATHENS OHIO 45701**

INDEX

<u>Page</u>	<u>Description</u>
-------------	--------------------

SECTION I

1	COVER SHEET
2	INDEX
3	NOTICE TO BIDDERS
4	INFORMATION TO BIDDERS
5-6	SPECIFICATIONS

SECTION II – BID DOCUMENTS

1-4	BID PROPOSAL
5-6	BID GUARANTY AND CONTRACT BOND
7	INSTRUCTIONS FOR BID GUARANTY AND CONTRACT BOND
8	BID AFFIDAVIT
9	NON-COLLUSION AFFIDAVIT
10	NO FINDINGS FOR RECOVERY AFFIDAVIT
11	NON-DELIQUENCY OF PERSONAL PROPERTY TAXES AFFIDAVIT
12	CONTRACTOR PREVIOUS EXPERIENCE
13	SUBCONTRACTORS LIST
14-17	OPWC BID PROPOSAL NOTES

SECTION III – CONTRACT DOCUMENTS

1	CONTRACT
2	CERTIFICATE OF PROSECUTING ATTORNEY & COUNTY AUDITOR
3	CERTIFICATE OF COUNTY COMMISSIONERS & ENGINEER
4	WAIVER OF LIENS AFFIDAVIT
5	OHIO LABOR STANDARDS AFFIDAVIT

SECTION IV - COUNTY GENERAL CONDITIONS

SECTION V - WAGE RATES

SECTION V1 – BORING LOGS

NOTICE TO BIDDERS

Sealed bids for the ATH-2026 OEMA LANDSLIDE REPAIRS will be received by the Board of County Commissioners of Athens County, Ohio, at their office, 15 S. Court Street, Athens Ohio 45701 until 10:00 a.m., Prevailing Local Time on the 22nd day of September, 2026 and at that time and place will be publicly opened and read aloud. All bids will be considered valid until 60 days after the opening date, although not accepted or rejected.

The work for which proposals are invited consists of a drilled pier wall with lagging at CR31-2.87 and a plug pile wall at CR36-5.19, pavement repair, and other miscellaneous items associated with the construction of the ATH-2026 OEMA LANDSLIDE REPAIRS. The Engineer's Estimate of Construction Cost for this project is \$358,000.00.

Copies of the Construction Plans, Bidding Forms, and Specifications on the Unit Price Contract may be purchased for \$30.00 from the Office of the Athens County Engineer, 16000 Canaanville Rd, Athens, Ohio 45701 during regular business hours (7:00 a.m. to 3:30 p.m. Monday through Friday).

Legal notice and bid documents are also posted on the internet at www.athenscountyengineer.org under the "Bids/RFPs" heading.

Each bid shall have filed with it a bid guaranty in the form of a certified check, cashier's check, or letter of credit revocable only at the option of Athens County in an amount equal to 10% of the bid or a bond in accordance with division (B) of Section 153.54 of the Revised Code.

Each proposal must contain the full name of the party or parties submitting the proposal and all persons interested therein. Each bidder must submit evidence of its experiences on projects of similar size and complexity. The owner intends and requires that this project be completed no later than May 31, 2027 but the walls must be constructed and the roads must be opened with a stone surface no later than December 18, 2026.

All contractors and subcontractors involved with the project will to the extent practicable use Ohio products, materials, services, and labor in the implementation of their project. Additionally, contractor compliance with the equal employment opportunity requirements of Ohio Administrative Code Chapter 123 is required.

Bidders must comply with the prevailing wage rates on Public Improvements in Athens County as determined by the Ohio Department of Commerce, Bureau of Wage and Hour Administration, 614.644.2239.

The Board of County Commissioners of Athens County, Ohio reserves the right to reject any and/or all bids and to waive informalities as may be in the best interest of Athens County.

Jeff Maiden, P.E., P.S.
Athens County Engineer

Advertising dates: 09/05/26, 09/12/26

INFORMATION TO BIDDERS

ODOT's 2023 Construction and Material Specifications (CMS) Manual and its supplements are hereby incorporated by reference, in their entirety, as if rewritten herein. **The incorporation of this document by reference is not intended to interfere with the order of precedence set forth in Section 105.04 of the C&MS.**

If the successful bidder has filed a bid guaranty in the form of a certified check, cashier's check, or letter of credit, then at the time of entering the contract, the bidder shall file a performance bond in accordance with division (C) of Section 153.54 of the Revised Code and in substantially the form provided in Section 153.57 of the Revised Code.

All proposal guaranties will be returned immediately following the opening of proposals except those of the lowest three (3) bidders. These guaranties will be returned within ten (10) days following award of the contract, except that of the successful bidder that will be returned after satisfactory contract bond has been furnished and the contract has been executed.

Performance Bonds shall be made with Athens County, Ohio as obligee.

The bidder shall sign the Proposal correctly. Proposals made by an individual, shall show his name and mailing address. Proposals made by a firm or a partnership shall show the name and mailing address of each member of the firm or partnership. If made by a corporation the Proposal must show the name of the state under the laws of which the corporation was chartered and the name and title of officer or officers having authority under the by-laws to sign contracts. Anyone signing the proposal as agent must file with it, legal authority to do so. The proposal submitted by the Bidder will be considered by the Board of County Commissioners as being his lowest responsive and responsible bid, in accordance with Revised Code Section 9.312, and shall not be subject to change or alteration after submission.

Bidders shall submit all pages in **Section H** in a sealed envelope with name, address, and bid time marked outside along with the following: **"ATH-2026 OEMA LANDSLIDE REPAIRS"**. The County Commissioners reserve the right to increase or decrease any quantities, waive any informalities or technicalities, and may reject any/or all bids as may be deemed to be in the best interest of Athens County.

Boring Logs are included in Section VI for contractor's review.

Contractor shall comply with all OSHA regulations in the construction of this project.

SPECIFICATIONS

ODOT'S 2023 CONSTRUCTION AND MATERIAL SPECIFICATIONS (CMS) MANUAL AND ITS SUPPLEMENTS

ODOT's 2023 Construction and Material Specifications (CMS) Manual and its supplements are hereby incorporated by reference, in their entirety, as if rewritten herein. **The incorporation of this document by reference is not intended to interfere with the order of precedence set forth in Section 105.04 of the C&MS**

EXTENSION TO THE COMPLETION DATE FOR WEATHER

Section 108.06 of the State of Ohio Department of Transportation's Construction and Materials Specifications, January 1, 2023 version, shall be applicable to this contract. The Contractor must clearly identify the "Work on the Critical Path" in the accepted Project Schedule in order to qualify for extensions of time due to inclement weather.

OHIO WORKERS' COMPENSATION COVERAGE

The Contractor must secure and maintain valid Ohio workers' compensation coverage until Athens County as set forth in Section 109.12(E) of the Construction and Material Specifications Manual has finally accepted the project. A certificate of coverage evidencing valid workers' compensation coverage must be submitted to the LPA before the contract will be executed.

The Contractor must immediately notify the LPA in writing if it or any subcontractor fails or refuses to renew their workers' compensation coverage. Furthermore, the Contractor must notify the LPA in writing if its or any of its subcontractor's workers' compensation policies are canceled, terminated or lapse.

The failure to maintain valid workers' compensation coverage shall be considered a breach of contract which may result in the Contractor or subcontractor being removed from the project, withholding of pay estimates and/or termination of the contract.

SECURITY & INSURANCE REQUIREMENTS

The Contractor and each of its subcontractors shall maintain, during the life of the its contract and subcontract, Public Liability Insurance with minimum coverage amounts of \$1,000,000 per occurrence, Property Damage Insurance with minimum coverage amounts of \$1,000,000 per occurrence, and Vehicle Liability Insurance.

UTILITY NOTE

The Contractor must exercise caution when working in proximity to the existing and/or relocated utility facilities. Sections 105.07 and 107.16 of the Department of Transportation Construction and Materials Specifications require that the Contractor cooperate with all utilities located within the limits of this construction project and take responsibility for the protection of the utility property and services.

If a utility company directs the Contractor to perform any work not specifically contained in the bidding documents, the Contractor will not be compensated for this work unless approved in writing before the work begins. If the work is not preapproved, the Contractor will be responsible for obtaining reimbursement for its work from the utility company that directed the Contractor to perform the work. In the event that the Contractor requests the additional work, not specifically contained in the bidding documents, be performed by a utility company, the Contractor will be responsible for reimbursing the utility company for the additional work unless the owner has agreed in writing to pay for the additional work before the work begins.

BIDDERS are advised that the following utility facilities will not be cleared from the construction area at the time of award of the contract. These utility facilities shall remain in place or be relocated within the construction limits of the project as set out below."

- FRONTIER COMMUNICATIONS (telephone)
- TENNESSE GAS (gas)
- AEP OHIO (electric)

- SUNDAY CREEK VALLEY WATER (water)
- OAKDALE WATER (water)

SEE SHEET 3 OF THE CONTRACT DRAWINGS FOR UTILITY CONTACT INFORMATION

STEEL MADE IN THE UNITED STATES

(Sec. 153.011 and Sec. 5525.21 O.R.C.)

Any steel products to be used or supplied in connection with this project shall be steel products rolled, formed, shaped, drawn, extruded, forged, cast, fabricated, or otherwise similarly processed, or processed by a combination of two or more of such operations, from steel made in the United States by the open hearth, basic oxygen, electric furnace, Bessmer, or other steel making process. "United States" means the United States of America and includes all territory, continental or insular, subject to the jurisdiction of the United States.

Minimal amounts of foreign steel products or products whose domestic origin is not traceable may be used in bridge construction if approved by the Director in writing. The Director may grant such approval under either of the following conditions:

1. The cost of products to be used does not exceed one-tenth of one percent of the total contract cost, or two thousand, five hundred dollars, whichever is greater. The cost is the value of the steel product as delivered to the project.
2. The specified steel products are not produced in the United States in sufficient quantity or otherwise are not reasonably available to meet contract requirements.

The Director may require the Contractor to obtain letters from three different suppliers documenting the unavailability of a specified steel from a domestic source, if the shortage is not previously established.

The Contractor shall comply with Section 501.07 for any foreign or nontraceable steel product used or submit for approval, test results showing the chemical and physical properties meet the applicable specifications.

For Review Only
Official Bid Packet available at
Athens County Engineers Office

ATH-2026 OEMA LANDSLIDE REPAIRS

ATHENS COUNTY, OHIO

SECTION II

BID DOCUMENTS

THE FOLLOWING PAGES CONTAIN DOCUMENTS THAT MUST BE COMPLETED AND SUBMITTED BY THE BIDDER AT THE TIME OF BID.

ALSO REQUIRED AT THE TIME OF BID ARE:

- Contractor's Certificate of Insurance (ACORD form)
- Contractor's Workers Compensation Certificate

BID PROPOSAL

Proposal of _____
(hereinafter called "Bidder"), organized and existing under the laws of the State of Ohio, doing business as

(Individual, Partnership or Corporation)

To the Board of County Commissioners of Athens County, Ohio, (hereinafter called "Owner").

In compliance with your Advertisement for Bids, Bidder hereby proposes to perform all work for the construction of the **ATH-2026 OEMA LANDSLIDE REPAIRS**, in strict accordance with the Contract Documents, within the time set forth therein, and at the prices stated on the following pages.

By submission of this Bid, each Bidder certifies, and in the case of a Joint Bid, each party thereto certifies as to his own organization, that this Bid has been arrived at independently, without consultation, communication, or agreement as to any matter relating to this Bid with any other Bidder or with any competitor.

Bidder hereby agrees to commence work under this contract on or before a date to be specified in the Notice to Proceed and to **fully complete the Project by May 31, 2027 but the walls must be constructed and the roads must be opened with a stone surface no later than December 18, 2026**. Bidder further agrees to **pay as liquidated damages** in accordance with Section 108.07 of the State of Ohio Department of Transportation's Construction and Materials Specifications, January 1, 2023 version.

Bidder acknowledges receipt of the following Addendum:

No.	Date	No.	Date
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

UNIT PRICES

The blank spaces in the proposal must be filled in correctly, where indicated, and typed or written in ink. Erasures, strikeovers and/or whiteout shall void bid.

The bidder is required to enter a unit price bid in the "Unit Price Bid" column and to multiply the unit price bid times the quantity set forth for the "Reference No." and then to enter the result in the "Total" column. The bidder is further required to enter a lump sum bid in the "Total" column for each "Reference No." which requires a "Lump Sum Bid". The bidder shall then add all of the figures in the "Total" column and enter the sum in the three (3) spaces provided for the "TOTAL AMOUNT OF THE BID".

Failure by a bidder to enter a unit price or lump sum price for each item set forth in the bid proposal will render the bid informal.

CONTRACTOR: _____
UNIT PRICE BID FORM
ATH-2026 OEMA LANDSLIDE REPAIRS

REF #	ODOT ITEM	ITEM DESCRIPTION	QTY	UNIT	UNIT PRICE	ITEM TOTAL
PART 1: CR31-2.87						
1	201	CLEARING AND GRUBBING	1	LS	\$	\$
2	203	EARTHWORK	1	LS	\$	\$
3	606	GUARDRAIL, TYPE 5	75	FT	\$	\$
4	606	ANCHOR ASSEMBLY, TYPE T	2	EACH	\$	\$
5	611	15" CONDUIT, TYPE B	32	FT	\$	\$
6	601	ROCK CHANNEL PROTECTION, TYPE C WITH FILTER	3	CY	\$	\$
7	832	EROSION CONTROL	1500	EACH	\$	\$
8	617	COMPACTED AGGREGATE	5	CY	\$	\$
8	659	SEEDING AND MULCHING, AS PER PLAN	128	SY	\$	\$
9	254	SUBGRADE COMPACTION	186	SY	\$	\$
10	304	AGGREGATE BASE	37	CY	\$	\$
11	301	ASPHALT CONCRETE BASE PG 64-22, (449)	92	CY	\$	\$
12	407	TACK COAT	8	GAL	\$	\$
13	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), PG 64-22	42	CY	\$	\$
14	503	UNCLASSIFIED EXCAVATION, AS PER PLAN	1	LS	\$	\$
15	507	STEEL PILES, MISC.: SOLDIER PILE HP12x74	253	FT	\$	\$
16	518	POROUS BACKFILL WITH GEOTEXTILE FABRIC	16	CY	\$	\$
17	518	6" PERFORATED CORRUGATED PLASTIC PIPE	53	FT	\$	\$
18	518	6" NON-PERFORATED CORRUGATED PLASTIC PIPE	11	FT	\$	\$
19	524	DRILLED SHAFTS, 30" DIAMETER, AS PER PLAN	193	FT	\$	\$
20	524	PLUG PILES, 36" DIAMETER	65	FT	\$	\$
21	530	STRUCTURE, MISC.: PRECAST CONCRETE PANEL	10	EACH	\$	\$
22	614	MAINTAINING TRAFFIC	1	LS	\$	\$
23	623	CONSTRUCTION LAYOUT STAKES AND SURVEYING	1	LS	\$	\$
24	624	MOBILIZATION	1	LS	\$	\$
25	103	PREMIUM FOR PERFORMANCE BOND AND FOR PAYMENT BOND	1	LS	\$	\$
26	201	CLEARING AND GRUBBING	1	LS	\$	\$
Sub-total Part 1: CR31-2.87=						\$

REF #	ODOT ITEM	ITEM DESCRIPTION	QTY	UNIT	UNIT PRICE	ITEM TOTAL
PART 2: CR36-5.19						
27	201	CLEARING AND GRUBBING	1	LS	\$	\$
28	617	COMPACTED AGGREGATE	4	CY	\$	\$
29	659	SEEDING AND MULCHING, AS PER PLAN	218	SY	\$	\$
30	832	EROSION CONTROL	1500	EACH	\$	\$
31	254	SUBGRADE COMPACTION	265	SY	\$	\$
32	304	AGGREGATE BASE	59	CY	\$	\$
33	301	ASPHALT CONCRETE BASE PG 64-22, (449)	22	CY	\$	\$
34	407	TACK COAT	13	GAL	\$	\$
35	441	ASPHALT CONCRETE SURFACE COURSE, TYPE 1, (449), PG 64-22	15	CY	\$	\$
36	503	UNCLASSIFIED EXCAVATION, AS PER PLAN	1	LS	\$	\$
37	507	STEEL PILES, MISC.:SOLDIER PILE HP10x42	624	FT	\$	\$
38	524	DRILLED SHAFTS, 24" DIAMETER, AS PER PLAN	624	FT	\$	\$
39	524	PLUG PILES, 30" DIAMETER	230	FT	\$	\$
40	614	MAINTAINING TRAFFIC	1	LS	\$	\$
41	623	CONSTRUCTION LAYOUT STAKES AND SURVEYING	1	LS	\$	\$
42	624	MOBILIZATION	1	LS	\$	\$
43	103	PREMIUM FOR PERFORMANCE BOND AND FOR PAYMENT BOND	1	LS	\$	\$
Sub-total Part 2: CR36-5.19=						\$

GRAND TOTAL \$ _____

Grand Total Project in Words _____

UNIT PRICE shall govern over TOTAL in case of discrepancy. If the plans or other quantity estimates shown herein differ from this unit price bid form, bid as shown on this sheet. Final payment will be based on actual quantities at the bid unit price. The above unit prices for the Bid shall include all labor, materials, bailing, shoring, removal, overhead, profit, insurance, etc., to cover the finished work of the several kinds called for within the drawings and specifications.

Bidder understands that the owner reserves the right to reject any or all bids and to waive any informalities in the bidding.

The bidder agrees that this bid shall be good and may not be withdrawn for a period of 60 calendar days after the scheduled closing time for receiving bids.

Upon receipt of written notice of the acceptance of this bid, bidder will execute the formal contract attached within 10 days and deliver a Surety Bond or Bonds as required by the Contract Documents. The bid security attached is to become the property of the owner in the event the contract and bond are not executed within the time above set forth, as liquidated damages for the delay and additional expense to the owner caused thereby.

Bid Summary:

Part 1: CR31-2.87= \$ _____
Part 2: CR36-5.19= \$ _____
Grand Total = \$ _____

Respectfully Submitted by:

Signature: _____

Printed Name: _____

Title: _____

Date: _____

Company Name: _____

Address: _____

Federal Tax I.D. Number: _____

Email Address: _____

Phone: _____

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

BID GUARANTY AND CONTRACT BOND

KNOW ALL MEN BY THESE PRESENT, that we, the undersigned, _____

as Principal and _____

as Surety, are hereby held and firmly bound unto _____

hereinafter called the Obligee, in the penal sum of the dollar amount of the bid submitted by the Principal to the obligee on _____ to undertake the project known as:

The penal sum referred to herein shall be the dollar amount of the Principal's bid to the Obligee, incorporating any additive or deductive alternate proposals made by the Principal on the date referred to above to the Obligee, which are accepted by the Obligee. In no case shall the penal sum exceed the amount of _____ DOLLARS (\$ _____).

If this item is left blank, the penal sum will be the full amount of the Principal's bid, including alternates. Alternatively, if completed, the amount stated must not be less than the full amount of the bid, including alternatives in dollars and cents. A percentage is not acceptable.

For the payment of the penal sum well and truly to be made, we hereby jointly and severally bind ourselves, our heirs, executors, administrators, successors, and assigns.

THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, that whereas the above named Principal has submitted a bid on the above referred to project,

NOW, THEREFORE, if the obligee accepts the bid of the Principal and the Principal fails to enter into a proper contract in accordance with the bid, plans, details, specifications, and bills of material; and in the event the Principal pays to the Obligee the difference not to exceed ten percent of the penalty hereto between the amount specified in the bid and such larger amount for which the obligee may in good faith contract with the next lower bidder to perform the work covered by the bid; or in the event the Obligee does not award the contract to the next lower bidder and resubmits the project for bidding, the Principal will pay the Obligee the difference, not to exceed ten percent of the penalty hereof between the amount specified in the bid, or the costs, in connection with the resubmission, of printing new contract documents, required advertising and printing and mailing notices to prospective bidders, whichever is less, then this obligation

Here insert full name or legal title of Contractor and address

Here insert full name or legal title of Surety

Here insert full name or legal title of Owner

shall be null and void, otherwise to remain in full force and effect. If the obligee accepts the bid of the Principal and the Principal within ten days after the awarding of the contract, enters into a proper contract in accordance with the bid, plans, details, specifications, and bills of material, which said contract is made a part of this bond the same as though set forth herein; and

IF THE SAID Principal shall well and faithfully perform each and every condition of such contract; and indemnify the Obligee against all damage suffered by failure to perform such contract according to the provisions thereof and in accordance with the plans, details, specifications, and bills of materials therefore; and shall pay all lawful claims of subcontractors, materialmen, and laborers, for labor performed and materials furnished in the carrying forward, performing, or completing of said contract: we agreeing and assenting that this undertaking shall be for benefit of any materialman or laborer having a just claim, as well as for the Obligee herein; then this obligation shall be void; otherwise the same shall remain in full force and effect; it being expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall in no event exceed the penal amount of this obligation as herein stated.

THE SAID Surety hereby stipulates and agrees that no modifications, omissions, or additions, in or to the terms of said contract or in or to the plans and specifications therefore shall in any way affect the obligations of said Surety on this bond, and it does hereby waive notice of any such modifications, omissions or additions to the terms of the contract or to the work or to the specifications.

SIGNED AND SEALED This ____ day of _____, 20____.

Principal

By: _____

Title: _____

Surety

By: _____

Attorney-in-Fact

Surety Company Address

Surety Agent's Name and Address

Instructions for Completion of the Bid Guaranty & Contract Bond

The Bid Guaranty and Contract Bond, meeting the requirements of Section 153.54 (B) of the Ohio Revised Code, as furnished by Athens County, shall be used and submitted by the bidder without change of wording.

The amount of the Bid Guaranty and Contract Bond must be for the full amount of the bid.

The Bid Guaranty and Contract Bond must be signed by an Authorized Agent of an acceptable Surety Bonding Company, and by the Bidder. The Bid Guaranty and Contract Bond must be countersigned by a Resident Agent of the Bonding Company as required by Section 3905.41 of the Ohio Revised Code. The Corporate Seal is to be affixed to all copies. The name and address of both the Surety and the Surety's Agent must appear on the Guaranty form.

A power of attorney of the Agent shall be attached to and submitted with the Bid Guaranty and Contract Bond.

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

BID AFFIDAVIT

(To be filled in and executed if Contractor is a Corporation)

STATE OF _____)

)ss

COUNTY OF _____)

_____ being duly sworn, deposes and says that he is Secretary of
_____ a corporation organized and existing under and by virtue of the laws of
the State of _____ and having its principal Office at

_____ Number and Street

_____ City _____ County, _____ State _____
Name of County

Affiant further says that he is familiar with the records, minute books and by-laws of

_____ Name of Corporation

Affiant further says that _____ of the
Name of Officer Title

corporation is duly authorized to sign the contract for _____ for

said corporation by virtue of _____

State whether a provision of by-laws or a resolution of the Board of Directors. If by a resolution, give date of adoption.

Signature of Officer

Sworn to before me and subscribed in my presence this _____ day of

_____, 20____.

Notary Public in and for

_____ County, Ohio

My Commission expires _____

NON-COLLUSION AFFIDAVIT

STATE OF _____)

)SS.

COUNTY OF _____)

_____, being first duly sworn,

deposes and says that he is _____
sole owner, partner, president, etc.

of _____ the party making the foregoing proposal or bid; that such bid is genuine and not collusive of sham; that said bidder has not colluded, conspired, connived, or agreed, directly or indirectly, with any bidder or person, to put in a sham bid, or that such other person shall refrain from bidding, and has not in any manner, directly or indirectly sought by agreement or collusion, or communication or conference, with any person, to fix the bid price of affiant or any other bidder, or to fix any overhead, profit, or cost element of said bid price, or of that of any other bidder, or to secure any advantage against _____

_____ or any person or persons interested in the proposed contract; and that all statements contained in said proposal or bid are true, and further, that such bidder has not, directly or indirectly submitted this bid or the contents thereof, or divulged information or data relative thereto to any association or to any member or agent thereof.

Affiant

Sworn to and subscribed before me this _____ day of

_____, 20 _____.

Notary Public in and for

_____ County, Ohio

My commission expires _____

NO FINDINGS FOR RECOVERY AFFIDAVIT

(O.R.C. Section 9.24)

THIS FORM MUST BE COMPLETED IN ITS ENTIRETY AND NOTARIZED

I _____,
(NAME) (TITLE) (NAME OF COMPANY)

affirm that at the time that I submitted the bid for _____
(BID TITLE)

to the Board of Athens County Commissioners on _____ that
(DATE)

_____ HAS / HAS NO unresolved finding for recovery from
(NAME OF COMPANY) (CIRCLE ONE)

the State Auditor per Ohio Revised Code 9.24.

(If there is a unresolved finding for recovery from the State Auditor, please complete the following section)

The amount of unresolved finding for recovery due the State Auditor is _____ and unpaid penalties and
interest are _____.
(AMOUNT) (AMOUNT)

(SIGNATURE)

(COMPANY)

(DATE)

Sworn to and subscribed before me this _____ day of, _____ 20____. (SEAL)

(NOTARY)

My Commission Expires:

(DATE)

**AFFIDAVIT OF CONTRACTOR OR SUPPLIER
OF NON-DELINQUENCY OF
PERSONAL PROPERTY TAXES**
ORC 5719.042

STATE OF _____)
)ss.

COUNTY OF _____)

I, _____ individually or as agent or representative for
_____, having been awarded a contract let by competitive bid for the purpose of _____
_____ hereby state that neither I, nor the above-listed contractor or supplier
were charged with any delinquent personal property taxes on the general tax list of personal property in
Athens County at the time the bid for this project was submitted, under the above-listed names or under any
other names.

Sworn to before me and subscribed in my presence this _____ day of _____, 20 _____.

Notary Public

In consideration of the award of the contract designated above, the above statement is incorporated into
the contract as a covenant of the undersigned.

For the contractor or supplier

NOTICE TO CONTRACTORS

DO NOT COMPLETE THIS FORM IF YOU HAVE BEEN CHARGED WITH DELINQUENT
PERSONAL PROPERTY TAXES ON THE GENERAL TAX LIST OF PERSONAL PROPERTY IN
ATHENS COUNTY. REQUEST THAT THIS FORM BE REPLACED WITH AFFIDAVIT OF
DELINQUENCY OF PERSONAL PROPERTY TAXES.

CONTRACTORS ARE REQUIRED TO STATE IN THE SPACES PROVIDED BELOW, THEIR EXPERIENCE IN CONSTRUCTING PROJECTS OF THIS TYPE OR SIMILIAR IN NATURE. FAILURE TO FILL IN THIS FORM MAY DISQUALIFY YOUR BID.

PROJECT NAME: _____ CONTACT: _____
ADDRESS _____ PHONE: _____

FAX: _____

EMAIL: _____

DATE OF PROJECT: _____
DESCRIPTION OF WORK: _____

PROJECT NAME: _____ CONTACT: _____
ADDRESS _____ PHONE: _____

FAX: _____

EMAIL: _____

DATE OF PROJECT: _____
DESCRIPTION OF WORK: _____

PROJECT NAME: _____ CONTACT: _____
ADDRESS _____ PHONE: _____

FAX: _____

EMAIL: _____

DATE OF PROJECT: _____
DESCRIPTION OF WORK: _____

PROJECT NAME: _____ CONTACT: _____
ADDRESS _____ PHONE: _____

FAX: _____

EMAIL: _____

DATE OF PROJECT: _____
DESCRIPTION OF WORK: _____

Official Bid Packet available at
Athens County Engineer's Office

For Review Only
Bid Packet available at
County Engineer's Office

STATE OF OHIO EQUAL EMPLOYMENT OPPORTUNITY REQUIREMENTS AND BID CONDITIONS FOR OPWC- ASSISTED CONSTRUCTION PROJECTS

The attached materials are provided for use by local subdivisions in receipt of financial assistance from the Ohio Public Works Commission for the development or redevelopment of capital infrastructure improvements. The materials relate to the State of Ohio's equal employment opportunity requirements for contractors when they participate in State-assisted construction projects. These materials must be inserted into the contracting subdivision's bidding documents for such State-assisted projects and be regarded as an integral component of the bidder's response.

The bidder's failure to address these materials as a part of its bid response, including providing the required Certificate of Compliance, election of one of the two Bidder's Affirmative Action Requirements, adoption of the Bidders EEO Covenants, and completion of the Bidders Certification will cause the bidder's proposal to be rejected as being non-responsive to the State's Equal Employment Opportunity Requirements and in non-compliance with the State Equal Employment Opportunity Bid Conditions.

Should there be any questions regarding the use or meaning of any portion of these materials, the best answers can be received from the State Equal Employment Opportunity Coordinators office at 65 East State Street, Suite 202, Columbus, Ohio 43266-0408. Phone: (614) 466-8380.

OPWC PROPOSAL NOTES – For insertion into Bid Documents (Rev 10/25)

1. STEEL PRODUCTS MADE IN THE UNITED STATES

Domestic steel use requirements as specified in Ohio Rev. Code §153.011, <https://codes.ohio.gov/ohio-revised-code/section-153.011>, apply to this project.

2. PREVAILING WAGES ON STATE PROJECTS WITH NO FEDERAL-AID (Should this project contain Federal-aid funds then Federal Prevailing Wages must be paid. Contact the appropriate Federal funding agency for language.)

This contract is subject to Ohio Prevailing Wage Laws, Ohio Rev. Code Chapter 4115 and the Prime Contractor and all subcontractors shall comply with all provisions contained therein or as otherwise provided by this note. The Prime Contractor guarantees that the prevailing wage scale to be paid to all laborers and mechanics employed on this contract shall be in accordance with the schedule of the prevailing hourly wage and fringe benefits as determined by the Ohio Department of Commerce for the county in which the work is being performed. The failure to pay prevailing wages to all laborers and mechanics employed on this project shall be considered a breach of contract. Such a failure may result in the revocation of the Prime Contractor's and/or subcontractor's certificate of qualification and debarment. A schedule of the most current prevailing wage rates may be accessed by registering / logging in to the Prevailing Wage Portal maintained by the Ohio Department of Commerce at the following web address: <https://pwr.com.ohio.gov/>.

The Prime Contractor and all subcontractors shall compensate the employees on this contract at a pay rate not less than the hourly wage and fringe rate listed on the website noted above, for the applicable job classification or as may be modified by the Ohio Department of Commerce, Division of Labor and Worker Safety Wage and Hour Bureau, when new prevailing rates are established.

Overtime shall be paid at one and one-half times the basic hourly rate for any hours worked beyond forty hours during a pay week. The Prime Contractor and all subcontractors shall pay all compensation by company check to the worker and fringe benefit program.

The wage and fringe rates determined for this project or as may be later modified, shall be posted by the Prime Contractor in a prominent and accessible place on the project, field office, or equipment yard where they can be easily read by the workers or otherwise made available to the workers. On the first pay date of contract work the Prime Contractor and all subcontractors shall furnish each employee covered by prevailing wage a completed form (WHPW-1512) in accordance with Ohio Rev. Code § 4115.05, showing the classification, hourly pay rate, and fringes, and identifying the public authority's Prevailing Wage Coordinator, if such employees are not covered by a collective bargaining agreement or understanding between employers and bona fide organizations of labor. These forms shall be signed by the Prime Contractor or subcontractor and the employee and kept in the Prime Contractor's or subcontractor's payroll files.

The Prime Contractor shall submit to the Prevailing Wage Coordinator, certified payrolls for Prime Contractor and all subcontractors on form WHPW-1512 or equivalent, in accordance with Ohio Rev. Code Sections 4115.07 and 4115.071(C), three weeks after the start of work and every subsequent week until the completion of the contract. Additionally, a copy of the "Apprentice Certification" obtained from the Ohio State Apprenticeship Council, must accompany all certified payrolls submitted, for all apprentices working on this project. Upon completion of the contract and before the final payment, the Prime Contractor shall submit to the Prevailing Wage Coordinator a final wage affidavit in accordance with Ohio Rev. Code § 4115.07 stating that wages have been paid in conformance with the minimum rates set forth in the contract. Please be aware that it is ultimately the responsibility of the Prime Contractor to ensure that all laws relating to prevailing wages in Ohio Rev. Code Chapter 4115 are strictly adhered to by all subcontractors.

The Prime Contractor and all subcontractors shall make all its payroll records available for inspection, copying or transcription by any authorized representative of the contracting agency. Additionally, the Prime Contractor and all subcontractors shall permit such representatives to interview any employees during working hours while the employee is on the job.

3. UNRESOLVED FINDING FOR RECOVERY

The Prime Contractor affirmatively represents to the local contracting authority that it is not subject to a finding for recovery under Ohio Rev. Code § 9.24, or that it has taken the appropriate remedial steps required under §9.24 or otherwise qualifies under that section. The Prime Contractor agrees that if this representation is deemed to be false, the contract shall be void ab initio as between the parties to this contract, and any funds paid by the state hereunder shall be immediately repaid to the local contracting authority, or an action for recovery may be immediately commenced by the local government and/or for recovery of said funds.

4. OHIO WORKERS' COMPENSATION COVERAGE

The Prime Contractor must secure and maintain valid Ohio workers' compensation coverage until the project has been finally accepted by the local contracting authority. A certificate of coverage evidencing valid workers' compensation coverage must be submitted to the local contracting authority before the contract is executed.

The Prime Contractor must immediately notify the local contracting authority, in writing, if it or any subcontractor fails or refuses to renew their workers' compensation coverage. Furthermore, the Prime Contractor must notify the local contracting authority, in writing, if its or any of its subcontractor's workers' compensation policies are canceled, terminated or lapse.

The failure to maintain valid workers' compensation coverage shall be considered a breach of contract which may result in the Prime Contractor or subcontractor being removed from the project, withholding of pay estimates and/or termination of the contract.

5. DRUG-FREE WORKPLACE PROGRAM

In accordance with Ohio Rev. Code §153.03 and during the life of this project, the Prime Contractor and all its Subcontractors that provide labor on the Project site must be enrolled in and remain in good standing in the Ohio Bureau of Worker's Compensation ("OBWC") Drug-Free Workplace Program ("DFWP") or a comparable program approved by the OBWC.

6. OHIO PREFERENCE

In accordance with Ohio Rev. Code §164.05 (A)(6) to the extent practicable, the Prime Contractor and subcontractor shall use Ohio products, materials, services, and labor in connection with this project.

7. BID GUARANTY

In accordance with Ohio Rev. Code §153.34, the Prime Contractor shall file with the bid a bid guaranty in the form of either: 1) a bond for the full amount of the bid, or 2) a certified check, cashier's check, or letter of credit equal to 10% of the bid.

8. OHIO ETHICS LAW

The Prime Contractor agrees that it is currently in compliance and will continue to adhere to the requirements of Ohio Ethics law as provided Ohio Rev. Code sections 102.03 and 102.04.

9. STATE OF OHIO EQUAL EMPLOYMENT OPPORTUNITY REQUIREMENTS

NOTICE TO CONTRACTORS:

The provisions of Ohio Rev. Code §153.59 regarding discrimination and intimidation on account of race, religion, sex, disability, national origin or ancestry are applicable to this project, and each contractor will be required to comply. Throughout its performance of any contract awarded to it on this State-assisted project, the prime contract bidder agrees to the following covenants:

- (1) In the hiring of employees for the performance of work under the contract or any subcontract, no contractor, subcontractor, or any person acting on a contractor's or subcontractor's behalf, by reason of race, creed, sex, disability or military status as defined in Ohio Rev. Code §4112.01, or color, shall discriminate against any

citizen of the state in the employment of labor or workers who is qualified and available to perform the work to which the employment relates;

- (2) No contractor, subcontractor, or any person on a contractor's or subcontractor's behalf, in any manner, shall discriminate against or intimidate any employee hired for the performance of work under the contract on account of race, creed, sex, disability or military status as defined in Ohio Rev. Code §4112.01, or color.

>>>The prime contract bidder hereby adopts the foregoing covenants?_____Yes___No

BIDDER'S CERTIFICATION:

The undersigned, being a duly authorized officer of the prime contract bidder, does hereby certify to and agree with the foregoing statements and covenants regarding its subscription to the State's Equal Employment Opportunity Requirements for State-assisted Construction Contracts.

Signature of Authorized Officer

____/____/____
Date

Title

ATH-2026 OEMA LANDSLIDE REPAIRS

ATHENS COUNTY, OHIO

SECTION III

CONTRACT DOCUMENTS

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

CONTRACT

THIS AGREEMENT, made and entered into this _____ day of _____, 2026, by and between the Board of County Commissioners of Athens County, Ohio acting by and through Lenny Eliason, President, hereinafter designated the Owner, and _____ of the City of _____, County of _____ and State of _____, hereinafter designated the Contractor:

WITNESSETH: That the parties to these present, each in consideration of the undertakings, promises and agreements on the part of the other herein contained, have undertaken, promised and agreed and do hereby undertake, promise and agree, the owner for itself, its successors and assigns, and the contractor for itself and its heirs, executors, administrators, successors and assigns, as follows:

That the contractor, in consideration of the sums of money herein specified to be paid by said owner to said contractor, shall and will at its own cost and expense, furnish all labor, materials and equipment necessary to complete the entire ATH-2026 OEMA LANDSLIDE REPAIRS in accordance with the Proposal submitted on _____ and in accordance with the specifications, General Provisions and Special Provisions and the Drawings therein mentioned which Specifications, General Provisions, Special Provisions and Drawings, together with Advertisement, Information for Bidders, Proposal and Bonds are hereby made a part of this Agreement, and incorporated by reference herein, all of said work to be fully completed to the satisfaction of the Engineer and to the acceptance of the Board of County Commissioners, Athens County, Ohio.

Attest:

Contractor: _____

Board of Commissioners, Athens County, Ohio

Signature Date

Lenny Eliason Date

Printed Name Title

Charlie Adkins Date

Witness

Chris Chmiel Date

CERTIFICATE OF PROSECUTING ATTORNEY

The above contract has been approved by me as to form this _____ day of _____, 2026.

Prosecuting Attorney, Athens County, Ohio

CERTIFICATE OF COUNTY AUDITOR

I, _____, County Auditor of Athens County,

Ohio do hereby certify that there is in the Treasury or in the process of collection, the sum of:

_____ Dollars (\$ _____), to

pay for the contract between _____ and the Athens County Commissioners,

Athens County, Ohio and that said funds are unappropriated for any other purpose.

Athens County Auditor

Purchase Order No. _____

Account No. _____

CERTIFICATE OF BOARD OF COMMISSIONERS

We, the Board of Commissioners of Athens County, in formal session, hereby approve these plans and specifications and certify that the right of way necessary for this improvement is available and declare that the making of this improvement is necessary and in the public interest.

Board of County Commissioners

Date: _____

CERTIFICATE OF COUNTY ENGINEER

I hereby approve these plans and specifications and declare that the making of this improvement will require the closing of traffic of the highway and that provisions for the maintenance and safety of traffic have been provided for.

R. Jeff Maiden, P.E., P.S.
Athens County Engineer

WAIVER OF LIENS AFFIDAVIT

State of _____

County of _____

TO WHOM IT MAY CONCERN:

The undersigned on behalf of _____

of the City of _____ State of _____, the Contractor

having a contract dated _____ with the _____

_____ to perform and/or furnish labor, materials, appliances, tools, utilities, fuel or equipment as set forth in said contract, for the installation or construction of _____

located at _____

hereby makes oath and says that all bills for labor, material, fuel or anything or purpose which a lien or liens may or can be filed under the laws of the place in which this building or project is constructed, arising out of or in connection with the aforementioned tract, have been paid; that there are no claims of subcontractors, laborers or material men for which a lien or liens can be filed or claims made against the Owner.

CONTRACTOR: _____

By: _____ (s)

Name: _____

Title: _____

Date: _____

Sworn to before me and subscribed in my presence at _____

this _____ day of _____, 20____.

Notary Public (s)

My commission expires _____, 20____.

OHIO LABOR STANDARDS AFFIDAVIT

State of _____

County of _____

The undersigned on behalf of _____

of the City of _____, State of _____, the Contractor having a

contract dated _____ with the _____

to perform and/or furnish labor, materials, appliances, tools, utilities, fuel or equipment as set forth in said contract, for the installation or construction of _____

located at _____

hereby makes oath and says that he and all of his subcontractors have complied fully with all requirements of Chapter 4115 of the Ohio Revised Code.

CONTRACTOR: _____

By: _____ (s)

Name: _____

Title: _____

Date: _____

Sworn to before me and subscribed in my presence at _____

this _____ day of _____, 20____. _____ (s)

Notary Public

My commission expires _____, 20____.

ATH-2026 OEMA LANDSLIDE REPAIRS

ATHENS COUNTY, OHIO

SECTION IV

Athens County General Conditions

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

**SECTION IV – ATHENS COUNTY
GENERAL CONDITIONS**

TABLE OF CONTENTS

SECTION – TOPIC	PAGE
1. DEFINITIONS	1
2. INTENT	1
3. CONTRACT DOCUMENTS	1
4. INTERPRETATION OF CONTRACT DOCUMENTS	2
5. FEDERAL-AID PROVISIONS	2
6. OBLIGATIONS OF THE CONTRACTOR	3
7. PERMITS, LAWS, AND REGULATIONS	3
8. STRUCTURES ENCOUNTERED AND PROTECTION OF PROPERTY	4
9. TIME OF ESSENCE	4
10. CONTRACT	4
11. EXAMINATION OF SITE	4
12. ESTIMATED QUANTITIES	4
13. PROGRESS SCHEDULE	5
14. CHANGE ORDERS	5
15. EXTRA WORK NOT CONTEMPLATED BY CONTRACT	5
16. SIGNIFICANT CHANGES IN THE CHARACTER OF WORK	6
17. COMPETENT MEN TO BE EMPLOYED	6
18. ANTI-DISCRIMINATION	6
19. FORFEITURE FOR PROHIBITED DISCRIMINATION	7
20. MINIMUM WAGE RATES	7
21. PAYROLL RECORDS	7
22. MATERIALS AND WORKMANSHIP	7
23. DEFECTIVE WORK AND MATERIALS	7
24. OWNERS RIGHT TO SUSPEND OR TERMINATE CONTRACT	8
25. FAILURE TO COMPLETE WORK ON TIME	8
26. EXTENSION OF TIME	8
27. WORK ON SUNDAYS AND HOLIDAYS	9
28. WORK TO BE SUBLET	9
29. TRAFFIC TO BE MAINTAINED	9
30. ENVIRONMENTAL PROTECTION	9
31. BARRICADES, LIGHTING AND WATCHMEN	10
32. ALTERNATE PLANS	11
33. REMOVED MATERIALS	11
34. PATENTS	11
35. PREVENTION OF, AND INDEMNIFICATION FOR, ACCIDENTS	11
36. INSURANCE AND WORKERS COMPENSATION	11
37. CLEAN UP	13
38. LUMP SUM PRICES	13
39. PARTIAL PAYMENTS	13
40. FINAL ESTIMATE	14
41. UNDERGROUND UTILITIES	14
42. ADDITIONAL SPECIFICATIONS INCORPORATED HEREIN BY PREFERENCE	14
43. GUARANTEE	14
44. RELEASE OF OWNER	14
45. UNBALANCED BIDDING	15
46. DISPUTES AND CLAIMS	15
OPWC APPENDIX A - MINORITY MANPOWER UTILIZATION GOALS AND TIMETABLES	15
OPWC APPENDIX B - SPECIFIC AFFIRMATIVE ACTION STEPS	16
OPWC APPENDIX C - FEMALE UTILIZATION GOALS	19

1. DEFINITIONS

Whenever the words defined in this paragraph, or pronouns used in their stead, occur in this contract they shall have the meaning given:

- (a) County or Owner shall mean the County of Athens acting through its authorized representative, the Board of County Commissioners.
- (b) Contractor or bidder shall mean any person, firm or corporation entering into the Contract or Contracts covered under these specifications for the performance of the work required by it or agent appointed to act for said party in the performance of the work.
- (c) Engineer shall mean the duly elected, qualified and acting Engineer of Athens County, Ohio, or such assistants as he may appoint, authorize and assign to administer the contract.
- (d) Or Equal. Wherever a particular brand, make of material, device or equipment is specified, it is to be regarded as a standard. The contractor may proffer for acceptance other makes, brands, devices or equipment in place of those specified. If in the opinion and judgment of the Owner, the items offered and the work proposed is considered to be a satisfactory equal to that called for in the specifications, the Owner may approve of the use of the substitute offered, and it will be accepted for the work provided; further, that all materials, methods and workmanship shall be appropriate and in accordance with best modern practices determined by Owner, who shall be the sole judge.
- (e) Wherever in the specifications or upon the drawings the word "direction, required, permitted, ordered, designated, prescribed" or words of like import are used, it shall be understood that the direction, requirements, permission, order, designation, or prescription of the Owner is intended and similarly the words approved, acceptable, or satisfactory to the Owner unless otherwise expressly stated.

2. INTENT

It is the intent of these General Specifications to cover the governing conditions of work, labor, materials, detailed drawings, methods, measures, safety rules and factors applicable in whole or in part to this contract or contracts.

3. CONTRACT DOCUMENTS

The following shall constitute the Contract Documents and shall be deemed the Contract made pursuant to this invitation to bid:

- (a) The bid advertisement, Notice and Information to Bidder to bid, General Conditions, detail specifications. Drawings, and Special Provisions, as are included in the bid package.
- (b) Affidavit of non-collusion
- (c) The Bid or Proposal
- (d) All required bonds and certificates of insurance
- (e) All provisions required by law to be inserted in the contract, whether actually inserted or not
- (f) Contract
- (g) Affidavit for corporate bidders

4. INTERPRETATION OF CONTRACT DOCUMENTS

- a) If any person, firm or corporation contemplating submitting a bid for this Contract is in doubt as to the true meaning of any part of the Drawings, Specifications or other Contract Documents, he may submit to the County Engineer a written request for an interpretation thereof. The person, firm or corporation submitting the request shall be responsible for its prompt delivery. Any interpretation of the proposed documents will be made only by an Addendum duly issued by the Engineer and a copy of such Addendum will be mailed or delivered to each person securing a set of the Contract Documents, provided that a sufficient period of time is available for the issuance of such Addendum prior to the receipt of bids.
- b) The specifications are duplicates of those on file in the office of the County Commissioners and County Engineer
- c) Any doubts which may arise after letting the contract shall be referred to the Engineer and County who shall decide the question at issue, and their decision shall be final and binding upon the parties to the contract.
- d) The drawings and specifications are complementary and what is called for by either one shall be as binding as if called for by both.
- e) In unit price contracts the quantities listed in the Proposal are to be considered as approximate and are to be used for the comparison of bids only. The unit prices to be tendered by the Bidders are to be tendered expressly for the scheduled quantities as they may be increased or decreased as hereinafter provided. Payments, except for lump sum items in unit price contracts, will be made to the Contractor for the actual quantities only of work performed or materials furnished in accordance with the plans and specifications and it is understood that scheduled quantities for work to be done and materials to be furnished may each be increased or diminished as hereinafter provided without in any way invalidating the unit bid prices. Where there is a conflict between the unit bid price and the extension thereof made by the Bidder, the unit price shall govern and the County shall be authorized to make a correct extension in comparing bids.
- f) If the work is let on the basis of a lump sum contract, the estimated quantities are only approximate, although the result of calculations may be in error and the Bidder must obtain and be responsible for the data upon which he bases his bid. He shall not be entitled to any additional compensation in case the quantities of work actually done to fulfill the contract and complete the project are greater than said estimated quantities.

5. FEDERAL-AID PROVISIONS

When the United States Government pays for all or any portion of the Project's cost, the Work is subject to the inspection of the appropriate Federal agency.

Such inspections will not make the Federal Government a party to this Contract. The inspections will in no way interfere with the rights of either party to the Contract.

Federal Highway Language, requirements, and prohibitions overrides or trumps that of any other Federal or state agency (e.g. HUB, Public Works).

6. OBLIGATIONS OF THE CONTRACTOR

The Contractor shall do all work and shall furnish all the labor, materials, tools, appliances and equipment except as herein otherwise specified, necessary or proper for performing and completing the work required by this contract, in the manner and within the time hereinafter specified.

If, at any time before the commencement or during the progress of the work or any part of it, the Contractor's methods or appliances appear to the Engineer to be unsafe, insufficient or inadequate for securing the safety of the workmen, the quality of the work or the progress required, he may order the Contractor to increase their safety and efficiency or to improve their character, and the Contractor shall comply with such order; but the failure of the Engineer to make such demand shall not relieve the Contractor of his obligations to secure the safe conduct, the quality of the work and the progress required by the contract, and the Contractor alone shall be responsible for the safety, efficiency, and adequacy of his plant, appliances and methods.

All the work to be done and the labor and materials to be furnished under this contract shall be done and furnished strictly pursuant to and in conformity with the specifications and the drawings therein referred to under the direction of the Engineer as given by him from time to time during the progress of the work, and under the terms of this contract, and the Contractor shall complete the entire work to the satisfaction of the Owner and at the prices and time herein agreed upon and fixed therefore.

7. PERMITS, LAWS, AND REGULATIONS

The contractor shall comply with all applicable laws of the federal government, the State of Ohio, and Municipal Corporations pertaining to wages, public liability and property damage. Workmen's Compensation and insurance of employees, current wage scales, payment for material, subcontract relations, and any other local, state or federal laws or ordinances concerned with contracts of this nature. Ignorance of legislation as described will in no way excuse the Contractor from full compliance with all statutes and regulations. Attention is directed to Section 1311.28 thru 1311.33 Revised Code of Ohio, which provides for retention by the Owner of additional payments due the Contractor in the event the Contractor fails to pay legal labor, materials and equipment bills out of monies previously received from the Owner. Claims against the Contractor must be properly authenticated and supported by the claimant before the Owner can take action.

The Contractor shall keep himself fully informed of all Federal State and Municipal laws and ordinances and regulations in any manner affecting those engaged or employed in the work or the materials used in the work, or in any way affecting the conduct of the work, and of all orders and decrees of bodies or tribunals having any jurisdiction or authority over the same. If any discrepancy or inconsistency should be discovered in this contract, or in the drawings or specifications herein referred to, in relation to any such law, ordinance, regulation, order or decree, he shall forthwith report the same in writing to the Engineer. He shall at all times himself observe and comply with, and shall cause all his agents and employees to observe and comply with all such existing and future laws, ordinances, regulations, orders, and decrees, and shall protect and indemnify the Owner and its officers and agents against any claim or liability arising from or based on the violation of any such law, ordinance, regulation, order or decree, whether by themselves or by their employees.

The contractor shall be responsible for securing at his own expense any and all licenses, permits and certificates of inspection required by law, or by the contract documents.

8. STRUCTURES ENCOUNTERED AND PROTECTION OF PROPERTY

- a) The contractor shall, at his own expense, support and protect all buildings, bridges, conduits, wires, water pipes, gas pipes, sewers, pavements, curbing, sidewalks, equipment and fixtures of all kinds and all other public or private property, whether of this or another contract that may be encountered or endangered in the prosecution of the work herein contemplated and that are not otherwise provided for. He shall repair and make good any damage caused to such property by reason of his operations, leaving all work in approved condition at the completion of the contract.

9. TIME OF ESSENCE

Since this contract is for a needed improvement, the provisions relating to the time of performance and time of completion of the work included in this contract are of the essence of this contract. The Contractor shall begin work promptly and complete the work by the day specified in the "Information for Bidders" and shall prosecute the work diligently so as to assure completion of the work not later than the time specified therefore.

10. CONTRACT

The bidder to whom the award is made will be required to execute a written Contract with the Owner, and to furnish and maintain good and approved surety bonds, as herein specified, within ten (10) days after notification of the acceptance of his bid. The Contract shall be in the form hereto attached. If the bidder to whom an award is made fails to enter into a contract as herein provided, the award may be annulled and the Contract let to the next lowest and best bidder in the opinion of the Owner; and such bidder shall fulfill every stipulation embraced herein, as if he were the original party to whom the award was made.

If the bidder to whom the award is made is a corporation, the Secretary of said corporation shall execute an affidavit, in the form hereto attached, stating that the officer or agent of said corporation signing the Contract for said corporation was authorized to do so, by either a provision of the corporation By-laws or by the adoption of a resolution of the Board of Directors of the corporation, whichever the case may be.

Contracts shall be let upon the basis of lump sum bids or upon the basis of unit price bids as set forth in the Proposal, at the discretion of the County.

The Engineer may cancel a Contract award at any time before all parties sign the Contract without liability to the Engineer.

11. EXAMINATION OF SITE

Prior to submitting a bid, bidders are required to satisfy themselves by personal examination at the site of the work and by an examination and study of the contract documents as to the conditions existing and the difficulties likely to be encountered in the construction of the work.

12. ESTIMATED QUANTITIES

The Contractor agrees that the estimated quantities are only for the purpose of comparing, on a uniform basis, the bids offered for the work under this Contract, and he further agrees that he is satisfied with and will at no time dispute the said estimated quantities as a means of comparing the bids aforesaid; that he will make no claim for anticipated profits or loss of profits because of a difference between the quantities of the various classes of work actually furnished and the said estimated quantities; and he agrees that the Owner shall not be held responsible if, in the construction of the

work, any of the said estimated quantities should be found to vary from the quantities shown, or the Engineer without alteration or modification of this contract increases, decreases, or omits the amount of any class or portion of work as may be deemed necessary.

13. PROGRESS SCHEDULE

The Contractor shall furnish a bar chart progress schedule to the Engineer for review at or before the pre-construction conference. The Engineer will review the schedule and within 14 calendar days of receipt, will either accept the schedule or provide the Contractor with comments. Acceptance of the schedule does not revise the Contract Documents. Provide clarification or any needed additional information within 10 days of a written request by the Engineer. The County will withhold Estimates until the Engineer accepts the schedule. The Engineer will not measure or pay for the preparation of the schedule and schedule updates directly, but the cost of preparing and updating the schedule is incidental to all Contract Items.

Provide a working day schedule that shows the various activities of Work in sufficient detail to demonstrate a reasonable and workable plan to complete the Project by the Completion Date. Show the order and the sequence for accomplishing the Work. Describe all activities in sufficient detail so that the Engineer can readily identify the Work and measure the progress of each activity. The bar chart schedule must reflect the scope of work, required phasing, maintenance of traffic requirements, interim completion dates, the Completion Date, and other project milestones established in the Contract Documents. Include activities for submittals, working and shop drawing preparation, submittal review time for the County, material procurement and fabrication and the delivery of materials, plant, and equipment, and other similar activities. The schedule must be detailed on letter or legal sized paper.

14. CHANGE ORDERS

- a) The County may, by written instructions to the Contractor, make alterations in the plans involving increases or decreases in the quantities of work as may be necessary or desirable, in either unit price or lump sum contracts. Such alterations shall not be considered as a waiver to any of the conditions of the contract, nor invalidate any of the provisions thereof.
- b) The cost of increases or decreases in quantities of items shall be computed at the unit price bid and shall be added or deducted from the original contract, only upon written change order by the County.
- c) In the event the desired alterations in the plans or specifications involve items for which a unit price has not been established, the County shall request the Contractor to furnish a proposal for such items. If said proposal is acceptable, the County shall issue a written change order covering same. In the event that no agreement as to price can be arranged between the parties to the contract, the County shall determine and set up a fair price for the work and materials at issue and their decision shall be final and binding upon all parties concerned. No claims shall be made for extra work, unless the same shall have been done in pursuance of a written change order by the County and at a price previously agreed upon and approved by the County Commissioners.

15. EXTRA WORK NOT CONTEMPLATED BY CONTRACT

Wherever extra work due to unforeseen condition not contemplated by Contract becomes necessary for the construction of the project, a change order in writing for such extra work shall be first entered into before such work is performed. Such extra work shall be performed in accordance with

the contract prices and if the items herein do not cover such work, a price mutually agreed upon shall prevail.

16. SIGNIFICANT CHANGES IN THE CHARACTER OF WORK

- a) The Engineer reserves the right to make, in writing, at any time during the work, such changes in quantities and such alterations in the work as are necessary to satisfactorily complete the project. Such changes in quantities and alterations shall not invalidate the contract nor release the surety, and the contractor agrees to perform the work as altered.
- b) If the alterations or changes in quantities significantly change the character of the work under the contract, whether such alterations or changes are in themselves significant changes to the character of the work or by affecting other work cause such other work to become significantly different in character, an adjustment, excluding anticipated profit, will be made to the contract. The basis for the adjustment shall be agreed upon prior to the performance of the work. If a basis cannot be agreed upon, then an adjustment will be made either for or against the contractor in such amount as the Engineer may determine to be fair and equitable.
- c) If the alterations or changes in quantities do not significantly change the character of the work to be performed under the contract, the altered work will be paid for as provided elsewhere in the contract.
- d) The term "significant change" shall be construed to apply only to the following circumstances:
 1. When the character of the work as altered differs materially in kind or nature from that involved or included in the original proposed construction; or
 2. When a major item of work, as defined elsewhere in the contract, is increased in excess of 125 percent or decreased below 75 percent of the original contract quantity. Any allowance for an increase in quantity shall apply only to that portion in excess of 125 percent of original contract item quantity, or in case of a decrease below 75 percent, to the actual amount of work performed.

17. COMPETENT MEN TO BE EMPLOYED

The Contractor shall employ competent, skillful men to do The Work, and whenever the Engineer shall notify the Contractor in writing, that any man on The Work, is in his opinion, incompetent, unfaithful, disorderly, or otherwise unsatisfactory, or refuses to carry out the provisions of this contract, or to stop doing bad work when so ordered, or uses threatening or abusive language to any official having supervision of the work, such man shall be discharged from the work, and shall not again be employed on it, except with the written consent of the Engineer.

18. ANTI-DISCRIMINATION [R.C. 153.59]

The Contractor hereby agrees that in the hiring of employees for the performance of work under this contract or any subcontract, the Contractor, nor any subcontractor, nor any person acting on his behalf, shall by reason of race, creed, sex, disability, as defined in Section 4112.01 of the Revised Code, or color, discriminate against any citizen of the state in the employment of labor or workers who are qualified and available to perform the work to which the employment relates.

The Contractor also agrees that the Contractor, nor any subcontractor, nor any person on his behalf shall, in any manner, discriminate against or intimidate any employee hired for the performance of work under this contract on account of race, creed, sex, disability, as defined in Section 411.01 of the Revised Code, or color.

19. FORFEITURE FOR PROHIBITED DISCRIMINATION [R.C. 153.60]

If the Contractor breaches any of the above provisions against discrimination, there shall be deducted from the amount payable to the Contractor under this contract, a forfeiture of twenty-five dollars for each person who is discriminated against or in violation of this contract. If there is a second violation of breach of the provisions against discrimination, the contract shall be cancelled or terminated by the County and all of the money due for such subsequent violations of this discrimination clause may be forfeited.

20. MINIMUM WAGE RATES

The minimum wage to be paid to all skilled labor, intermediate grade labor, and unskilled and common labor employed on this contract shall be in accordance with the prevailing wage rates on Public Improvements in Athens County as determined by the Ohio Department of Commerce, Bureau of Wage and Hour Administration, 614.644.2239.

21. PAYROLL RECORDS

Keep payroll records as specified in ORC 4115.07 or as required by Federal law. Authorized representatives of the Engineer may inspect the certified payroll and other payroll records. Upon completion of the Work and before receiving the final estimate and when required by ORC 4115.07, submit an affidavit stating that wages have been paid according to the minimum rates specified in the Contract Documents.

22. MATERIALS AND WORKMANSHIP

The materials shall be of the best quality and especially adapted to the service required, and wherever the characteristics of any materials are not particularly specified, such material shall be used as is customary in first class work of a nature for which the material is employed. All materials shall, if required, be tested and shall fulfill the requirements specified. The Owner shall make physical test, but the Contractor shall furnish test pieces and samples, in the number, shape, size, and finish and required by the Engineer. The failure of test specimens to fully conform to the requirements of the specifications shall be sufficient cause for the rejection of the whole melt, pour, or stock from which the samples were obtained. The workmanship shall be of the highest class throughout.

23. DEFECTIVE WORK AND MATERIALS

The inspection of the work shall not relieve the Contractor of any of his obligations to fulfill his contract as herein prescribed, and defective work shall be made good and unsuitable material shall be rejected, notwithstanding that such work and materials have been previously overlooked by the Engineer and accepted or estimated for payment. If the work, or any part thereof, shall be found defective before the final acceptance of the whole work, the Contractor shall forthwith make good such defects without compensation, in a manner satisfactory to the Engineer, and if any of the material brought upon the ground for use in the work, or selected for the same, shall be condemned by the Engineer as unsuitable or not in conformity with the specifications; the Contractor shall forthwith discard such materials and remove them to a satisfactory distance from the vicinity of the work, and shall not again submit the same. If the Contractor shall fail to replace any defective work or materials after reasonable notice, the Engineer may cause such defective work or materials to be replaced and the expense thereof shall be deducted from the amount to be paid to the Contractor.

24. OWNERS RIGHT TO SUSPEND OR TERMINATE CONTRACT

- a) The Engineer may cause the work to be suspended whenever in his opinion the weather is not suitable for doing the work or for any other just or reasonable cause. Upon any suspension of the work, the Contractor shall snugly pile all material and he shall immediately thereafter remove all rubbish and surplus material from the place of work. In case of such suspension, the time within which the Contractor shall finish the work may be extended by as many days as he may have thus been delayed.
- b) If the Contractor shall at any time abandon the work, or if at any time the Engineer shall be of the opinion, and shall so certify to the Contractor and the County, that the work or any portion of it is unnecessarily delayed, or that the Contractor is willingly or knowingly violating any portion of his contract or executing it in bad faith, as far as claims of the Contractors are concerned, and the materials delivered at the site, and/or incorporated into the work shall become the property of Athens County.

25. FAILURE TO COMPLETE WORK ON TIME

If the Contractor fails to complete the work within the time allowed by the Contract, or extension thereof, the County Engineer shall keep accurate account of all expenditures for inspection, supervision, and all other similar engineering services in connection with the improvement and same shall be charged to the contractor. The amount of such expenditures shall be retained out of any estimates due or to become due to such Contractor.

26. EXTENSION OF TIME

If the Contractor is obstructed or delayed in the prosecution or completion of the work by neglect, delay, or default of any other contractor for adjoining contiguous work, or by any damage that may happen thereto by the unusual action of the elements, or by the abandonment of the work by the employees in general strike, or by any delay on the part of the Owner in doing the work, or furnishing the material to be done and furnished by it, the Contractor shall have no claim for damage for any such cause or delay, but, he shall in such case be entitled to such extension of time specified herein for the completion of work as the Engineer shall, in writing, certify to be just and proper, provided, however; that claim for such extension of time is made by the Contractor, in writing, within one (1) week from the time when such alleged cause for delay shall occur.

When a delay occurs due to unforeseen causes beyond the control and without fault, or negligence of the Contractor, including but not restricted to: acts of God, acts of the public enemy, acts of Government, acts of the State, or any political subdivision thereof; fires, floods, epidemics, strikes except those caused by improper acts or omissions of the Contractor, extraordinary delays in delivery of materials caused by strikes, lockouts, wrecks, freight embargoes, (acts of governments), or acts of God, the time of completion shall be extended in whatever amount is determined by the County to be equitable.

An act of God is construed to mean an earthquake, flood, cloudburst, cyclone, or other cataclysmic phenomenon of nature beyond the power of the Contractor to foresee or to make preparation in defense of: A rain, windstorm, or other natural phenomenon of normal intensity, based on U.S. Weather Bureau reports; for the particular locality and for the particular season of the year in which The Work is being prosecuted shall not be construed as an "act of God", and no extension of time will be granted for the delay's resulting there from.

27. WORK ON SUNDAYS AND HOLIDAYS

No Work shall be permitted on Sundays or legal Holidays except to save property or life, or in case of extraordinary emergency and then only as authorized or directed by the Engineer.

28. WORK TO BE SUBLET

In the event that the Contractor elects to sublet a part, or a portion of this contract, he shall first give written notice to the Owner. No part of the Contract shall be sublet without the written approval of the Owner.

Make payment to each subcontractor and supplier within 10 Calendar Days after receipt of payment from the County for Work performed or materials delivered or incorporated into the Project, according to ORC 4113.61, provided that the pay estimate prepared by the Engineer includes Work performed or materials delivered or incorporated into the public improvement by the subcontractor or supplier.

Also require that this contractual obligation be placed in all subcontractor and supplier contracts that it enters into and further require that all subcontractor and suppliers place the same payment obligation in each of their lower tier contracts. If the Contractor, subcontractors, or supplier subject to this provision fail to comply with the 10 Calendar Day requirement, the offending party shall pay, in addition to the payment due, interest in the amount of 18 percent per annum of the payment due, beginning on the eleventh Calendar Day following the receipt of payment from the County and ending on the date of full payment of the payment due plus interest.

Repeated failures to pay subcontractors and suppliers timely pursuant to this subsection will result in a finding by the County that the Contractor is in breach of Contract and subject to all legal consequences that such a finding entails. Further, repeated failures to pay timely pursuant to this subsection will result in a lower evaluation score for the Contractor and those subcontractors who are subject to evaluation by the County.

29. TRAFFIC TO BE MAINTAINED

Unless authorized by the Contract Documents for the Specific Contract, the Contractor shall not close to traffic any bridge, or culvert, or any portion of the highway during the progress of the work. To facilitate the maintaining of traffic, temporary site detours, bypasses, bridges, or culverts may be constructed when provided for by the Contract or authorized by the Engineer. The Engineer must approve any such construction before being put into service. The Contractor shall maintain such temporary construction in the manner necessary to facilitate safe and expeditious flow of traffic, and the Engineer shall be the final judge as to whether or not such temporary construction meets these conditions.

30. ENVIRONMENTAL PROTECTION

Comply with all Federal, State, and local laws and regulations controlling pollution of the environment. Avoid polluting streams, lakes, ponds, and reservoirs with fuels, oils, bitumens, chemicals, sediments, or other harmful materials, and avoid polluting the atmosphere with particulate and gaseous matter.

Fording of streams is prohibited. Causeways for stream and river crossings or for Work below a bridge are permitted provided:

- a) The causeway is constructed according to 207.03.B.8.b.

b) The causeway complies with the requirements of the 404 Permit the Department obtained for the Project.

c) The Contractor obtains a 404 Permit from the U.S. Army Corps of Engineers if the Department has not obtained such a permit. Obtain the 404 Permit prior to beginning construction of the causeway. The Department does not guarantee that the Contractor will be able to obtain a 404 Permit.

Comply with all current provisions of the Ohio Water Pollution Control Act, (OWPCA), (ORC Chapter 6111). The County will obtain a storm water permit under the OWPCA provisions when the plan work acreage requires a permit. The storm water permit will not cover the Contractor's work outside the Project limits shown on the Plans. Apply for a permit to cover operations outside the Project limits shown on the plans as required by the OWPCA provisions. When the County has not applied for a permit on the Project and a permit is required under the provisions of the OWPCA because of the total area of the Contractor's work, apply for, obtain, and comply with the required permit for both the Work within Project limits and the Contractor's work.

The County has obtained the required permits from the U.S. Army Corps of Engineers and Ohio EPA for Work in the "Waters of the United States" and isolated wetlands under ORC Chapter 6111. Comply with the requirements of these permits.

When equipment is working next to a stream, lake, pond, or reservoir, spill response equipment is required in the event of a hydraulic leak. Do not stockpile fine material next to a stream, lake, pond, or reservoir.

Take precautions to avoid demolition debris and discharges associated with the excavation and hauling of material from entering the stream. Remove any material that does fall into the stream as soon as possible.

When excavating in or adjacent to streams, separate such areas from the main stream by a dike or barrier to keep sediment from entering the stream. Take care during the construction and removal of such barriers to minimize sediment entering the stream.

Accomplish control of ground water and water in excavations in a manner that prevents the degradation of the water quality of any surface water. Install wells and well points with suitable screens and filters where necessary to prevent the continuous pumping of fines. Pump sediment-laden water in a manner to prevent degradation of streams, lakes, ponds, or other areas of water impoundment. Such prevention may involve but is not limited to the means and methods described in Item 207. Use the current version of the *Sediment and Erosion Control Handbook* to plan this work. Use the methods necessary to prevent adverse effects to surface waters as provided in OAC-3745-1-04. The cost of constructing and maintaining these measures is incidental to the Contract.

Contain, collect, characterize and legally dispose of all waste water and sludge generated during the work. Do not mix waste water with storm water. Do not discharge any waste water without the appropriate regulatory permits. Manage waste water and sludge in accordance with ORC Chapter 6111 and all other laws, regulations, permits and local ordinances relating to this waste. Waste water management is incidental to the Work unless otherwise specified in the contract.

Control the fugitive dust generated by the Work according to OAC-3745-17-07(B), OAC-3745-17-08, OAC-3745-15-07, and OAC-3745-17-03 and local ordinances and regulations. In addition, use dust control measures when fugitive dust creates unsafe conditions as determined by the Engineer. Perform this work without additional compensation except for Item 616.

Perform open burning according to 105.16.

31. BARRICADES, LIGHTING AND WATCHMEN

The Contractor at his own expense shall place proper Barricades and other proper Traffic Control Devices along and around all construction where hazards and danger to traffic exists, and shall

take such other precautions as are necessary to protect life and property, and shall place and maintain sufficient Lights at night for protection of the public. Watchmen shall be provided where safety requirements indicate.

32. ALTERNATE PLANS

In the event the County Commissioners elect to advertise for and receive Alternate Plans for the construction or erection of a bridge or structure, the bidder may at his option submit an alternate plan or plans for a different type of structure, or structures than that submitted by the County Engineer. Such plan or plans together with specifications shall be filed in the office of the County Engineer for a period of fifteen (15) days, prior to the date for receiving bids. Such plans and specifications shall show the number of spans, the length of each, the nature, quantity, quality, and size of materials to be used, the length of the structure when completed, and whether there is any patent on the proposed plan, or any part thereof, and if so, on what part thereof.

33. REMOVED MATERIALS

Unless otherwise provided for in the Contract, all existing road or bridge materials taken from the work shall be the property of Athens County. These materials shall be placed by the Contractor at his expense, at or on an area along the side of the road designated by the Engineer, for removal by the County.

34. PATENTS

The Contractor shall indemnify, keep and save harmless the Owner from all liabilities, judgments, costs, damages, and expenses which may in any wise come against the Owner by devices, equipment, or processes furnished, or used in the performance of the work under this Contract, by reason of the use of Patented designs furnished by the Contractor and accepted by the Owner.

In the event that any claim, suit or action at law, or in equity of any kind whatsoever, is made or brought against the Owner involving any such Patents, then the Owner shall have the right to retain from the money due and to become due the Contractor, a sufficient amount of money as shall be considered necessary by the Owner to protect itself against loss until such claim, suit, or action shall have been settled and evidences to that effect shall have been furnished to the satisfaction of the Owner.

35. PREVENTION OF, AND INDEMNIFICATION FOR, ACCIDENTS

The Contractor, during the performance of the work, shall take all necessary precautions and place proper guards, or signs for the prevention of accidents, and shall put up and keep suitable and sufficient lights and other signals; and shall Indemnify and save harmless the County and its officers, agents and employees from all damages and costs, to which they may be put by reason of injury to person or property of another resulting from his negligence, or carelessness in the performances of the work, or in guarding the same, or from any improper materials, implements, or appliances used in its construction, or by, or on account of any act, or omission of the Contractor or his agents. The whole or so much of the moneys due under and by virtue of this Contract as shall be considered necessary by the Owner may, at his option, be retained by the Owner until all suits, or claims for damages as, aforesaid, shall have been settled, and evidences to that effect furnished to the satisfaction of the Owner.

36. INSURANCE AND WORKERS' COMPENSATION

Contractor shall indemnify and save harmless the State and all of its representatives, municipalities, counties, public utilities, any affected railroad or railway company, and any fee owner from whom a

temporary Right-of-Way was acquired for the Project from all suits, actions, claims, damages, or costs of any character brought on account of any injuries or damages sustained by any person or property on account of any negligent act or omission by the Contractor or its subcontractors or agents in the prosecution or safeguarding of the Work.

The Contractor shall procure and maintain insurance for liability for damages imposed by law and assumed under this Contract, of the kinds and in the amounts hereinafter provided from insurance companies authorized to do business in the State by the Ohio Department of Insurance. The cost of insurance is incidental to all contract items. Before the execution of the Contract by the Engineer, furnish to the County a certificate or certificates of insurance in the form satisfactory to the Department demonstrating compliance with this subsection. Provide an insurance certificate or certificates that show that the Contractor's liability and auto policies coverage are not reduced, restricted, or canceled until 30 days written notice has been given to the Department by the insurer.

Mail all certificates and notices to: Athens County Engineer, 16000 Canaanville Rd, Athens Ohio, 45701. Upon request, the Contractor shall furnish the County with a certified copy of each policy, including the provisions establishing premiums.

The types and minimum limits of insurance are as follows:

A. Workers' Compensation Insurance. Comply with all provisions of the laws and rules of the Ohio Bureau of Workers' Compensation covering all operations under Contract with the Department whether performed by it or its subcontractors. In addition, if a portion of the Work is performed from a barge or ship or requires unloading material from a barge or ship on a navigable waterway of the United States, it is the responsibility of the Contractor to arrange coverage for that portion of the Work under the Longshore and Harborworkers' Compensation Act [33 USC Section 901 *et seq.*] and the Jones Act [5 USC Section 751 *et seq.*] and provide proof of coverage to the Department.

B. Commercial General Liability Insurance. The minimum limits for liability insurance are as follows:

General Aggregate Limit - \$2,000,000
Products - Completed Operations
Aggregate Limit \$2,000,000
Personal and Advertising Injury Limit \$1,000,000
Each Occurrence Limit \$1,000,000

Obtain the above minimum coverages through primary insurance or any combination of primary and umbrella insurance. In addition, the Department will require the General Aggregate Limit on a per project basis.

Ensure that the Commercial General Liability Insurance policy names the County of Athens, Engineer, its officers, agents, and employees as additional insureds with all rights to due notices in the manner set out above. Obtain Explosion, Collapse, and Underground (XCU) coverage at the same limits as the commercial general liability insurance policy. In addition, if blasting is to be performed, obtain XCU coverage providing a minimum Aggregate Limit of \$5,000,000 and Each Occurrence Limit of \$1,000,000. Submit proof of insurance, endorsements, and attachments to the Engineer prior to starting the Work.

C. Comprehensive Automobile Liability Insurance. The Comprehensive Automobile Liability policy shall cover owned, non-owned, and hired vehicles with minimum limits as follows:

Bodily Injury and Property Damage Liability Limit
Each Occurrence \$1,000,000

Insurance coverage in the minimum amounts set forth neither relieves the Contractor from liability in excess of such coverage, nor precludes the County from taking such other actions as are available to it under any other provisions of this Contract or otherwise in law.

Clearly set forth all exclusions and deductible clauses in all proof of insurance submitted to the County. The Contractor is responsible for the deductible limit of the policy and all exclusions consistent with the risks it assumes under this Contract and as imposed by law.

If the Contractor provides evidence of insurance in the form of certificates of insurance, valid for a period of time less than the period during which the Contractor is required by terms of this Contract, then the County will accept the certificates, but the Contractor is obligated to renew its insurance policies as necessary. Provide new certificates of insurance from time to time, so that the County is continuously in possession of evidence that the Contractor's insurance is according to the foregoing provisions.

If the Contractor fails or refuses to renew its insurance policies or the policies are canceled or terminated, or if aggregate limits have been impaired by claims so that the amount available is under the minimum aggregate required, or modified so that the insurance does not meet the requirements of 107.12.C, the County may refuse to make payment of any further monies due under this Contract or refuse to make payment of monies due or coming due under other contracts between the Contractor and the County. The County in its sole discretion may use monies retained pursuant to this subsection to renew or increase the Contractor's insurance as necessary for the periods and amounts referred to above. Alternatively, should the Contractor fail to comply with these requirements, the County may default the Contractor and call upon the Contractor's Surety to remedy any deficiencies. During any period when the required insurance is not in effect, the Engineer may suspend performance of the Contract. If the Contract is so suspended, the Contractor is not entitled to additional compensation or an extension of time on account thereof.

Nothing in the Contract Documents and insurance requirements is intended to create in the public or any member thereof a third party beneficiary hereunder, nor is any term and condition or other provision of the Contract intended to establish a standard of care owed to the public or any member thereof.

37. CLEANING UP

Upon completion of the work all surfaces disturbed during the work shall be restored in a satisfactory manner, and all tools, plant and equipment, and other property belonging to the Contractor, shall be removed and the site of the work left clear, and in a condition equal to that existing prior to the beginning of work under the Contract.

38. LUMP SUM PRICES

Where work is to be paid for by the Lump Sum, it is hereby, expressly agreed that in said Lump Sum shall be included all materials, labor, tools, and equipment required to fully complete the work, notwithstanding, that while the work may be fully shown on the Drawings, it may be partially described in other parts of the Contract Documents and vice versa.

39. PARTIAL PAYMENTS

The Contractor will be paid in accordance with Ohio Revised Code Sections 153.12, 153.13, and 153.14

40. FINAL ESTIMATE

The Engineer shall, as soon as practicable after the final acceptance of the work done under this Contract, make a Final Estimate of the amount of the work done, and the value thereof. Such Final Estimate shall be approved by the Owner, after which, the Owner, shall pay the sum so found to be due hereunder, after deducting there from, all previous payments, and all amount to be withheld under the Contract. All prior partial Estimates may be subjected to correction in the Final Estimate and payment.

41. UNDERGROUND UTILITIES

If the construction area may involve underground utility facilities, the Contractor, at least two working days prior to commencing construction operations in the construction area, shall cause notice to be given to the registered underground utility protection services and the owners of any underground utility facilities shown on the plans. The notice shall be in writing, by telephone, or in person. If the contractor gives written notice, it shall be by certified mail, return receipt requested. Identity and Location of Utilities are specified in the plans.

42. ADDITIONAL SPECIFICATIONS INCORPORATED HEREIN BY REFERENCE

Construction and Materials Specifications as set forth in the latest issue of the "State of Ohio, Department of Transportation, Construction and Materials Specifications" (ODOT CMS) and all supplemental specifications thereto, not otherwise provided for in these General Specifications, are incorporated herein by reference, and made a part of these General Specifications. Where a conflict exists between these specifications and the ODOT CMS, these specifications and the project plans shall govern.

The terms "engineer" or "county" shall be substituted as appropriate where the ODOT CMS refers to the "department".

43. GUARANTEE

The Contractor shall guaranty that all materials and equipment furnished and work performed under this contract are free from all defects for a period of one (1) year from the date of final payment. The provisions of Paragraphs 8 and 19 shall apply to any defect in the work, materials, apparatus or workmanship of the project or failure in the operation or performance of any part thereof or guarantees required hereunder determined by the Engineer to have occurred, developed or appeared during the guaranty period. Ten percent (10%) of the Performance Bond shall remain in full force and effect through the guaranty period and until all defects detected during the guaranty period have been corrected to the satisfaction of the Owner. The Owner shall evidence release of the Performance Bond in writing and the Bond shall be in effect until said release has been obtained from the Owner.

The Contractor shall be required to show proof of insurance coverage meeting the requirements of Paragraph 31 prior to performing any work on the project during the guaranty period.

44. RELEASE OF OWNER

The end of the guaranty period shall be and shall operate as a release by the Contractor of all claims against and all liability of the Owner by reason of this Contract, and all things done or performed by the Contractor there under.

45. UNBALANCED BIDDING

Bid all items correctly and price each quantity as indicated in the Bid Documents. The County will reject a mathematically unbalanced bid if the bid is also materially unbalanced. A mathematically unbalanced bid is one that contains lump sum or unit price items that do not include reasonable labor, equipment, and material costs plus a reasonable proportionate share of the bidder's overhead costs, other indirect costs, and anticipated profit. A bid is materially unbalanced when the County determines that an award to the bidder submitting a mathematically unbalanced bid will not result in the lowest ultimate cost to the County.

46. DISPUTES AND CLAIMS

When a contractor (sub-contractors must pursue dispute through the contractor) feels there is additional work beyond the scope of the project due to changing site conditions or other unforeseen cause, he shall address his concern to the on site project representative who will contact the project engineer for on site dispute resolution. If an on site resolution cannot be reached, the contractor shall submit the issue in writing to the County Engineer who will investigate and meet with the contractor to try to resolve the issue. The Engineer will notify the contractor in writing of his decision and the contractor may accept the decision or he may file a claim with the appropriate Court.

"APPENDIX A" OF THE STATE EEO BID CONDITIONS

MINORITY MANPOWER UTILIZATION GOALS AND TIMETABLES

The following minority goals listed are expressed in terms of percentages of work hours for each trade to be used by the contractor in a designated area. Designated areas are defined as Ohio's Standard Metropolitan Statistical Areas (SMSA). They are: Akron, Cincinnati, Cleveland, Columbus, Dayton, Toledo and Youngstown-Warren. In cases where the project is not located in a designated area, the contractor may adopt minority utilization goals of the near/nearest designated area.

AKRON		CINCINNATI		CLEVELAND	
All Trades	10%	Trade	Trade		
		Asbestos Workers	9%	Asbestos Workers	17%
		Boilermakers	9%	Boilermakers	10%
		Carpenters	10%	Carpenters	16%
COLUMBUS					
All Trades	10%	Elevator Constructors	11%	Electricians	20%
		Floor Layers	10%	Elevator Constructors	20%
		Glaziers	10%	Floor Layers	11%
DAYTON					
All Trades	11%	Lathers	10%	Glaziers	17%
		Marble, Tile, Terrazzo	8%	Ironworkers	13%
		Millwright	10%	Operating Engineers	17%
		Operating Engineers	11%	Painters	17%
TOLEDO					
All Trades	9%	Painters	11%	Pipefitters	17%
		Pipefitters	11%	Plasterers	20%
		Plasterers	10%	Plumbers	17%
		Plumbers	11%	Roofers	17%
YOUNGSTOWN					
All Trades	9%	Sheet Metal Workers	11%	Other Trades	17%
		Other Trades	11%		

"APPENDIX B" OF THE STATE EEO BID CONDITIONS

SPECIFIC AFFIRMATIVE ACTION STEPS

The following Affirmative Action steps are directed at increasing minority utilization:

(1) The contractor should maintain a file of the names and addresses of each minority and female referred to it by any individual or organization and what action was taken with respect to each such referred individual, and if the individual was not employed by the contractor, and the reasons therefore. If such individual was sent to the union hiring hall for referral and not referred back by the union or if referred back by the union or if referred, not employed by the contractor, the file should document this and the reason therefore.

To Demonstrate Compliance: Maintain a file of the names, addresses, telephone numbers, and craft of each minority and female applicant showing (a) the date of contact and whether the person was hired; if not, the reason, (b) if the person was sent to a union for referral, and the results (c) follow-up contacts when the contractor was hiring.

(2) The contractor should promptly notify the State Contracting Agency when the Union or Unions with which the contractor has collective bargaining agreements does not refer to the contractor a minority or female worker referred (to the union) by the contractor, or when the contractor has information that the union referral process has impeded efforts to meet its goals.

To Demonstrate Compliance: Have a copy of letters sent, or do not claim the union is impeding the contractors' efforts to comply.

(3) The contractor should disseminate its Equal Employment Opportunity policy within its organization by including it in any company newsletters and annual reports; by advertising at reasonable intervals in union publications; by posting of the policy; by specific review of the policy with minority and female employees; and by conducting staff meetings to explain and discuss the policy.

To Demonstrate Compliance: Have a written EEO policy which includes the name and how to contact the contractor's EEO Officer and (a) include the policy in any company policy manuals, (b) post a copy of the Policy on all company bulletin boards (in the office and on all job sites), (c) records, such as reports or diaries, etc., that each minority and female employee is aware of the Policy and that it has been discussed with them, (d) that the policy has been discussed regularly at staff meetings and (3) copies of newsletters and annual reports which include the Policy.

(4) The contractor should continually monitor all personnel activities to ensure that its EEO policy is being carried out, including the evaluation of minority and female employees for promotional opportunities on a quarterly basis and the encouragement of such employees to seek those opportunities.

To Demonstrate Compliance: Have records that the company EEO Officer reviews all: (a) monthly workforce reports, (b) hiring and terminations, (c) training provided on-the-job, (d) minority and female employees quarterly for promotion and encourages them to prepare for and seek promotion. The records should be the EEO Officer's job description, reports, memos, personnel files, etc., documenting the activities for possible discriminatory patterns.

(5) The contractor should disseminate its EEO policy externally by informing and discussing it with all recruiting sources; by advertising it in news media, specifically including minority and female news media; and by notifying and discussing it with all subcontractors.

To Demonstrate Compliance: Have copies of (a) letters sent, at least six months or at the start of each new major contract, to all recruiting sources (including labor unions) requiring compliance with the Policy, (b) advertising, which has the EEO "tagline" on the bottom, and (c) purchase order and subcontract agreement forms will include or make reference to the State EEO Covenant, Appendix A or B of the Ohio Administrative Code 123:2-3-02.

(6) The contractor should make specific and reasonably recurrent oral and written recruitment efforts directed at minority and women's organizations, and training organizations with the contractor's recruitment area.

To Demonstrate Compliance: Have a record either in a follow-up file for each organization or on the reverse of the notification letter sent under Item 1, above, of the dates, individuals contacted and the results of the contract from telephone calls or personal meetings with the individuals or groups notified under Item 1.

(7) The contractor, where reasonable, should develop on-the-job training opportunities and participate and assist in all Department of Labor funded and/or approved training programs (including Apprenticeship) Programs relevant to the contractor's employee needs consistent with its obligations in the Bid Conditions.

To Demonstrate Compliance: Have records of contributions in cash, equipment supplied and/or contractor personnel provided as instructors for Bureau of Apprenticeship and Training approved or Department of Labor funded training programs and records of the hiring and training of minorities and females referred to Company by such programs.

(8) The contractor should solicit bids for subcontracts (and joint ventures) from available minority and female subcontractors engaged in the trades covered by the Bid Conditions, including circulation of minority and female contractors associations.

To Demonstrate Compliance: Have copies of letters or other direct solicitation of bids for subcontracts/joint ventures from minority/female contractors with a record of the specific response and any follow-up the contractor has done to obtain a price quotation or to assist a minority/female contractor in preparing or reducing a price quotation; have a list of all minority/female subcontracts awarded or joint ventures participated in with dollar amounts, etc.

EXPLANATION OF AN ACCEPTABLE AFFIRMATIVE ACTION PROGRAM:

An Affirmative Action Program is a set of specific and result-oriented procedures to which a Contractor shall apply every good faith effort. The objective of these procedures and efforts is to assure equal employment opportunity. An acceptable Affirmative Action Program will include an analysis of all trades employed by the Contractor within the last year with an explanation of whether Minorities are currently being under-utilized in any one or more trades. A necessary prerequisite to the development of a satisfactory Affirmative Action Program is the identification and analysis of problem areas inherent in Minority employment and an evaluation of opportunities for utilization of Minority group personnel.

Part I - Basic Contents of an Affirmative Action Program:

1. Development or reaffirmation of the contractor's EEO policy in all personnel actions.
2. Formal internal and external dissemination of contractor's EEO policy.
3. Establishment of responsibilities for implementation of the contractor's affirmative action program.
4. Identification of problem areas (deficiencies) by organizational units and job classification.
5. Establishment of goals and objectives by organizational units and job classification, including timetables for completion.
6. Development and execution of action oriented programs designed to eliminate problems and further designed to attain established goals and objectives.
7. Design and implementation of internal audit and reporting systems to measure effectiveness of the total programs.
8. Compliance of personnel policies and practices with Federal sex discrimination guidelines (41 CFR Part 60-20).

9. Active support of local and national community action programs and community service programs, designed to improve the employment opportunities of minorities.
10. Consideration of ethnic minorities and women not currently in the work force having requisite skills who can be recruited through affirmative action measures.
11. Summary data on applicant flow, hires, terminations and promotions, and training for the last twelve months or the last one hundred applicants, hires, etc., whichever is less.

Part II - Analysis of Individual Trades

1. The minority population of the labor area surrounding (contractor's) projects.
2. The size of the minority unemployment force in the labor area surrounding (the contractor's) projects.
3. The percentage of minority work force as compared with the total work force in the immediate labor area.
4. The general availability of minorities having requisite skills in the immediate labor area.
5. The availability of minorities having requisite skills in the area in which the contractor can reasonably recruit.
6. The availability of promotable minority employees within the contractor's organization.
7. The anticipated expansion, contraction, and turnover of an in the work force.
8. The existence of training institutions capable of training minorities in the requisite skills.
9. The degree of training which the contractor is reasonably able to undertake as a means of making all job classes available to minorities.

Goals, timetables and affirmative action commitments must be designed to correct any identifiable deficiencies. Where deficiencies exist and where numbers or percentages are relevant in developing corrective action, the contractor shall establish and set forth specific goals and timetables. Such goals and timetables, with supporting data and the analysis thereof shall be a part of the contractor's written affirmative action program. Where the contractor has not established a goal, its written affirmative action program must specifically analyze each of the factors listed above, and must detail its reason for a lack of a goal. The goals and timetables should be attainable in terms of the contractor's analysis of its deficiencies and its entire action. Thus, in establishing its goals and timetables, the contractor should consider the results which could be reasonably expected from its good faith efforts to make its overall affirmative action program work. If the contractor does not meet its goals and timetables, the contractor's good faith efforts shall be judged as to whether the contractor is following its program and attempting to make the program work toward the attainment of its goals.

Support data for the above analysis and program shall be compiled and maintained as part of the contractor's affirmative action program. This data should include applicant flow data and applicant rejection ratios indicating minority status.

Compliance Status: No State Contractor's compliance status shall be judged alone by whether or not he reaches his goals and meets his timetables. Rather each Contractor's compliance posture shall be reviewed and determined by reviewing the contents of his program, the extent of his adherence to his program and his good faith efforts to make his program work toward the realization of the program's goals within the timetables set for completion.

“APPENDIX C” OF THE STATE EEO BID CONDITIONS

FEMALE UTILIZATION GOALS

OAC 123:2-3-05 Required utilization analysis and goals

(A) Each state-involved contractor shall include in his/her affirmative action program the information and analysis required pursuant to part IV 401-C of appendix A of rule 123:2-1-01 of the Administrative Code, in addition to female utilization requirements pursuant to the governor’s “Executive Order 84-9” and this rule.

(B) As required by the governor’s “Executive Order 84-9”, the utilization of women shall be, at a minimum, that currently in use by the federal government as of February 15, 1984. This requirement stated at C.F.R. part 60-4 is 6.9 percent utilization of women. This requirement shall remain at 6.9 percent unless further amended by the governor in a subsequent order. This requirement shall be met by a determination of work hours utilized in the same manner as minority utilization hours are calculated.

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

ATH-2026 OEMA LANDSLIDE REPAIRS

ATHENS COUNTY, OHIO

SECTION V

State of Ohio Wage Rates

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

Prevailing Wage Rate Skilled Crafts

Name of Union: Carpenter & Piledriver SC District HevHwy

Type of Rate: Commercial

Change #:
LCN01-2026ib

Craft:
Carpenter

Effective Date:
5/1/2026

Effective Date:
5/1/2026

	BHR		Fringe Benefit Payments						Irrevocable Fund		Total PWR	Overtime Rate
			H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)	MISC (*)		
Classification												
Journeyman	\$37.73		\$9.62	\$10.78	\$0.80	\$0.00	\$3.49	\$0.15	\$0.00	\$0.00	\$62.57	\$81.44
Apprentice	BHR	Percent										
1st Year	\$26.41	\$70.00	\$9.62	\$10.78	\$0.80	\$0.00	\$3.49	\$0.15	\$0.00	\$0.00	\$51.25	\$64.45
2nd Year	\$30.18	\$80.00	\$9.62	\$10.78	\$0.80	\$0.00	\$3.49	\$0.15	\$0.00	\$0.00	\$55.02	\$70.11
3rd Year	\$33.96	\$90.00	\$9.62	\$10.78	\$0.80	\$0.00	\$3.49	\$0.15	\$0.00	\$0.00	\$58.80	\$75.78
4th Year	\$35.84	\$95.00	\$9.62	\$10.78	\$0.80	\$0.00	\$3.49	\$0.15	\$0.00	\$0.00	\$60.68	\$78.60

(*)Special Calculation Note :

Other: UBC National Fund

When the contractor furnishes the necessary under water gear for the diver, the diver shall be paid one and one half (1 & 1/2) times the journeyman rate for the time spent in the water.

Ratio :

1 Journeymen to 1 Apprentice

Jurisdiction (* denotes special jurisdictional note) :

Adams, Athens, Delaware, Fairfield, Fayette, Franklin, Gallia, Guernsey, Highland, Hocking, Jackson, Lawrence, Licking, Madison, Marion, Meigs, Morgan, Muskingum, Noble, Perry, Pickaway, Pike, Ross, Scioto, Union, Vinton, Washington

Special Jurisdictional Note :

Details :

Highway Construction, Airport Construction, Heavy Construction but not limited to: Tunnels, subways, drainage projects, flood control, reservoirs
 Railroad Construction, Sewer Waterworks & Utility Construction but not limited to: storm sewers, waterlines, gas lines
 Industrial & Building site, Power Plant, Amusement Park, Athletic stadium site, Sewer and Water Plants.

Prevailing Wage Rate Skilled Crafts

Name of Union: Carpenter, Pile Driver & Floorlayer Local 356 SC District B

Type of Rate: Commercial

Change #:
LCR01-2026ib

Craft:
Carpenter

Effective Date:
8/19/2026

Effective Date:
8/19/2026

	BHR		Fringe Benefit Payments						Irrevocable Fund		Total PWR	Overtime Rate
			H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)	MISC (*)		
Classification												
Carpenter	\$34.55		\$9.62	\$12.98	\$0.80	\$0.00	\$4.28	\$0.27	\$0.00	\$0.00	\$62.50	\$79.78
Pile Driver	\$37.73		\$9.62	\$12.98	\$0.80	\$0.00	\$4.28	\$0.27	\$0.00	\$0.00	\$65.68	\$84.55
Apprentice	BHR	Percent										
1st Year	\$24.19	\$70.02	\$9.62	\$2.00	\$0.80	\$0.00	\$4.28	\$0.27	\$0.00	\$0.00	\$41.16	\$53.26
2nd Year	\$27.64	\$80.00	\$9.62	\$2.00	\$0.80	\$0.00	\$4.28	\$0.27	\$0.00	\$0.00	\$44.61	\$58.43
3rd Year	\$31.10	\$90.02	\$9.62	\$11.68	\$0.80	\$0.00	\$4.28	\$0.27	\$0.00	\$0.00	\$57.75	\$73.30
4th Year	\$32.82	\$95.00	\$9.62	\$12.33	\$0.80	\$0.00	\$4.28	\$0.27	\$0.00	\$0.00	\$60.12	\$76.53

(*)Special Calculation Note :

Other is UBC National Fund

Ratio :

1 Journeyman to 1 Apprentice

Jurisdiction (* denotes special jurisdictional note) :

Athens, Hocking, Vinton, Washington

Special Jurisdictional Note :

Details :

CARPENTERS duties shall include but not limited to the milling, fashioning, joining, assembling, erecting, fastening, or dismantling of scaffolding and of material of wood, plastic, metal, fiber, cork and composition, and all other substitute materials. The handling, cleaning, erecting, installing and dismantling of machinery, equipment and all materials used by carpenters. The building and setting of all concrete forms and decking, and dismantling the same; the setting of templates for anchor bolts for structural members and for machinery, and the placing, leveling and bracing of these bolts; the making of all forms for bulkheads, figures, post, balusters and ornaments. The erection and installation of cooling towers assembled onsite. The building of all barricades and handling of rough lumber and drywall. The installation of all required blocking and all toilet accessories, including but not limited to grab bars, napkin dispensers and receptacles, mirrors and soap dispensers. The installation of metal studs and the welding of studs and other fastenings to receive material being applied by carpenters. The installation of all material used in drywall construction such as plasterboard, transite and other composition boards. The installation of carpet, artificial turf, wood and Resilient floors shall consist of and include the laying of all special designs of wood, wood block, wood composition, cork, linoleum, asphalt, mastic, plastic and rubber tile, whether nailed or laid in, or with linoleum paste or glue compositions. The installation of garage and overhead doors. The installation of fixtures, cabinets, shelving, racks, louvers, etc. The assembling and setting of all seats in theaters, halls, churches, schools, auditoriums, grandstands and other buildings. Our claim of jurisdiction, therefore, extends over the following subdivisions of the trade. Carpenters and Joiners; Bridge, Dock and Wharf Carpenters, Divers, Underpinners, Timbermen and Core Drillers; Shipwrights, Boat Builders, Ship Carpenters, Joiners and Caulkers, Cabinet Makers, Bench Hands, Stair Builders; Millmen; Wood and Resilient Floor Layers and Finishers; Carpet Layers; Shinglers; Siders; Insulators; Acoustic and Drywall Applicators; Shorers and House Movers; Loggers; Lumber and Sawmill Workers; Furniture Workers; Reed and Rattan Workers; Shingle Weavers; Casket and Coffin Makers; Box Makers; Railroad Carpenters; and Car Builders, regardless of material used; and all those engaged in the operation of woodworking or other machinery required in the fashioning, milling or manufacturing of products used in the trade, or engaged as helpers to any of the above divisions or subdivisions, and the handling, erecting and installing of material on any of the above divisions or subdivisions; burning welding, rigging and the use of any instrument or tool for layout work incidental to the trade. When the term "Carpenter" and "Joiner" is used, it shall mean all the subdivisions of the trade.

PILEDRIIVER: Where piling is used in the construction and repair of all wharves, docks, piers, trestles, caissons, cofferdams, the erection of all sea walls and breakwaters. The placing of all walings, bumper guards of wood or metal. The framing, boring, drilling or burning of all holes in the same, all tie and hog rods in connection with Piledrivers work. The driving, bracing, plumbing, cutting-off and capping of all piling whether wood, steel sheeting, metal pipe piling, composite or concrete. The heading and splicing of wood piling and the making of woodsheet piling. The welding, cutting or burning of any metal and wood piling and shoring and underpinning in connection with Piledriver work. The loading and unloading of all piling and other material used in connection with Piledrivers work. The loading, unloading, erecting, framing, dismantling, moving and handling of all drivers, derrick, cranes and other piledriving equipment used in the work. Drilling in piling or drilled in caissons where a steel liner is used. All machinery used for handling spuds or anchors on floating equipment used in our work shall be operated by our members. Where swing lines or derricks are used, members shall be used as watchmen. All underwater and marine work on all bulkheads, wharves, docks, shipyards, caissons, piers, bridges, pipeline work, viaducts, marine cable and trestles, as well as salvage and reclamation work where divers are employed. All clamming work that is done by floating derricks.

For Review Only
Official Bid Package available at
Athens County Engineer's Office

Prevailing Wage Rate Skilled Crafts

Name of Union: Cement Mason Local 132 (Parkersburg-Marietta)

Type of Rate: Commercial

Change #:
LCN01-2025ib

Craft:
Cement Mason

Effective Date:
6/4/2025

Effective Date:
6/4/2025

	BHR		Fringe Benefit Payments						Irrevocable Fund		Total PWR	Overtime Rate
			H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)	MISC (*)		
Classification												
Cement Mason	\$33.55		\$8.70	\$4.68	\$0.65	\$0.00	\$5.00	\$0.06	\$0.00	\$0.00	\$52.64	\$69.42
Apprentice	BHR	Percent										
1st Year	\$23.49	\$70.02	\$8.70	\$4.68	\$0.65	\$0.00	\$5.00	\$0.06	\$0.00	\$0.00	\$42.58	\$54.33
2nd Year	\$26.84	\$80.00	\$8.70	\$4.68	\$0.65	\$0.00	\$5.00	\$0.06	\$0.00	\$0.00	\$45.93	\$59.35
3rd Year	\$30.20	\$90.02	\$8.70	\$4.68	\$0.65	\$0.00	\$5.00	\$0.06	\$0.00	\$0.00	\$49.29	\$64.39

(*)Special Calculation Note :

Other: International Training Fund

Ratio :

4 Journeymen to 1 Apprentice

Jurisdiction (* denotes special jurisdictional note)

Athens, Meigs, Monroe, Morgan, Noble, Washington

Special Jurisdictional Note :

Details :

All Cement Masons working on swing stage, slip scaffold or window jack scaffolds shall receive the following rates:
\$0.50 above the regular rates for heights up to 50 feet above grade level. \$0.90 above regular rate for heights over 50 feet above grade level

Prevailing Wage Rate Skilled Crafts

Name of Union: Ironworker Local 787

Type of Rate: Commercial

Change #: LCN02-2024ib

Craft: Ironworker

Effective Date: 12/18/2024

Effective Date: 12/18/2024

	BHR		Fringe Benefit Payments						Irrevocable Fund		Total PWR	Overtime Rate
			H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)	MISC (*)		
Classification												
Ironworker	\$34.00		\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$58.25	\$75.25
Structural, Reinforcing, Ornamental, Machine/Move Rigger, Conveyor Mechanic, Welder, Sheeter, Fence Erector	\$34.00		\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$58.25	\$75.25
Apprentice	BHR	Percent										
1st Year A	\$20.40	\$60.00	\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$44.65	\$54.85
1st Year B	\$20.40	\$60.00	\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$44.65	\$54.85
2nd Year A	\$22.10	\$65.00	\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$46.35	\$57.40
2nd Year B	\$23.80	\$70.00	\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$48.05	\$59.95
3rd Year A	\$25.50	\$75.00	\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$49.75	\$62.50
3rd Year B	\$27.20	\$80.00	\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$51.45	\$65.05
4th Year A	\$28.90	\$85.00	\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$53.15	\$67.60
4th Year B	\$28.90	\$85.00	\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$53.15	\$67.60
4th Year C	\$34.00	\$100.00	\$9.20	\$9.50	\$0.45	\$0.00	\$5.00	\$0.10	\$0.00	\$0.00	\$58.25	\$75.25

(*)Special Calculation Note :

Other: Drug Testing

Ratio :

4 Apprentice to 1 Journeyman Ratio Ornamental Apprentice 1 Apprentice to 2 Journeymen

Jurisdiction (* denotes special jurisdictional note) :

Athens, Meigs, Morgan, Noble, Washington

Special Jurisdictional Note :

Details :

Reinforcing Ironwork Classification including, but not limited to, all work in connection with field fabrication, handling (including loading and offloading), sorting, cutting, bending, hoisting, placing, burning, welding, and tying or securing of all materials used to reinforce concrete, all sizes and types of reinforcing steel (including composite material), wire mesh, hoops and stirrups, including mechanical splicing on reinforcing steel bar. The unloading, hoisting, placing and tying of all post-tensioning cables. Also, wrecking of cores, wedging of the tendons, stressing, cutting and repairing. Structural Ironwork Classification, but not limited to field fabrication, all loading, to and including the erecting, rigging, assembly, dismantling, placing, temporary and permanent securing by any means of all structural iron, steel, ornamental lead, bronze, brass, copper, aluminum, glass, all ferrous and nonferrous metal and composite material, precast, pre-stressed and post-stressed concrete structures. Bridges and bridge rails, bridge viaducts, bucks bulkheads, bumper and bumper post, canopies and unistrut canopies, corrugated ferrous and nonferrous sheets when attached to steel frames, columns, beams, bar joists, trusses, grinders, roof decking, electrical supports, elevator cars, elevator fronts and enclosures, erection of steel towers, flagpoles, gymnasium equipment, stadium and arena seating, jail cell work, jail cell beds, benches, bunks, chairs, tables, mirrors, jail cell access doors, rigging and installation of machinery and equipment, erecting, aligning, anchoring and dismantling, erection and dismantling of tower cranes, derrick monorail systems, chicago booms, overhead cranes, gantries, material and personnel hoists, tanks, hoppers and conveyors. All pre-engineered metal buildings and their entirety, including siding, roofing, gutters, downspouts and erection of all. Ornamental Ironwork Classification, but not limited to all work in connection with field fabrication, handling including loading/offloading, sorting, cutting, fastening, anchoring, bending, hoisting, placing, burning, welding, and tying, dismantling of all materials used in miscellaneous iron, for stairs, hand railings, doors, fence, windows, curtain wall, erection and welding of all metal sash, architectural and ornamental treatments, but not necessarily limited to all sizes and types of ornamental, steel, iron, lead, bronze, brass, copper, aluminum, all ferrous and nonferrous metals and composite materials. Fence Erector Ironwork Classification, but not limited to all work in connection with the field fabrication and erection of chain link fence, which includes, but not limited to, the loading of the fence fabric and posts, also the installation of the above.

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

Prevailing Wage Rate Skilled Crafts

Name of Union: Labor HevHwy 3

Type of Rate: Commercial

Change #:
LCN01-2026ib

Craft:
Laborer

Effective Date:
5/1/2026

Effective Date:
5/1/2026

	BHR		Fringe Benefit Payments						Irrevocable Fund		Total PWR	Overtime Rate
			H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)	MISC (*)		
Classification												
Laborer Group 1	\$38.77		\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$55.87	\$75.25
Group 2	\$38.94		\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$56.04	\$75.51
Group 3	\$39.27		\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$56.37	\$76.00
Group 4	\$39.72		\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$56.82	\$76.68
Watch Person	\$33.50		\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$50.60	\$67.35
Apprentice	BHR	Percent										
0-1000 hrs	\$31.02	\$80.00	\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$48.12	\$63.63
1001-2000 hrs	\$32.95	\$85.00	\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$50.05	\$66.53
2001-3000 hrs	\$34.89	\$90.00	\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$51.99	\$69.44
3001-4000 hrs	\$36.83	\$95.00	\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$53.93	\$72.34
More than 4000 hrs	\$38.77	\$100.00	\$9.45	\$4.60	\$0.45	\$0.00	\$2.50	\$0.00	\$0.10	\$0.00	\$55.87	\$75.25

(*)Special Calculation Note :

Tunnel Laborer rate with air-pressurized add \$1.00 to the above wage rate.

Commercial Driver's License – Any Laborer required to utilize a valid Commercial Driver's License (CDL), are in compliance with necessary FMCSA regulations and approved by the Contractor to operate a Commercial Motor Vehicle (CMV), shall be paid one dollar (\$1.00) per hour above the base rate for the entirety of their working shift.

Ratio :

1 Journeyman to 1 Apprentice
3 Journeymen to 1 Apprentice thereafter

Watchmen have no Apprentices

Jurisdiction (* denotes special jurisdictional note) :

Adams, Allen, Ashland, Athens, Auglaize, Belmont, Brown, Butler, Carroll, Champaign, Clark, Clermont, Clinton, Columbiana, Coshocton, Crawford, Darke, Defiance, Delaware, Fairfield, Fayette, Franklin, Fulton, Gallia, Greene, Guernsey, Hamilton, Hancock, Hardin, Harrison, Henry, Highland, Hocking, Holmes, Jackson, Jefferson, Knox, Lawrence, Licking, Logan, Madison, Marion, Meigs, Mercer, Miami, Monroe, Montgomery, Morgan, Morrow, Muskingum, Noble, Paulding, Perry, Pickaway, Pike, Preble, Putnam, Richland, Ross, Scioto, Seneca, Shelby, Tuscarawas, Union, Van Wert, Vinton, Warren, Washington, Wayne, Williams, Wyandot

Special Jurisdictional Note :

Hod Carriers and Common Laborers - Heavy, Highway, Sewer, Waterworks, Utility, Airport, Railroad, Industrial and Building Site, Sewer Plant, Waste Water Treatment Facilities Construction

Details :

Group 1 Laborer (Construction); Plant Laborer or Yardman, Right-of-way Laborer, Landscape Laborer, Highway Lighting Worker, Signalization Worker, (Swimming) Pool Construction Laborer, Utility Man, *Bridge Man, Handyman, Joint Setter, Flagperson, Carpenter Helper, Waterproofing Laborer, Slurry Seal, Seal Coating, Surface Treatment or Road Mix Laborer, Riprap Laborer & Grouter, Asphalt Laborer, Dump Man (batch trucks), Guardrail & Fence Installer, Mesh Handler & Placer, Concrete Curing Applicator, Scaffold Erector, Sign Installer, Hazardous Waste (level D), Diver Helper, Zone Person and Traffic Control. *Bridge Man will perform work as per the October 31, 1949, memorandum on concrete forms, by and between the United Brotherhood of Carpenters and Joiners of America and the Laborers' International Union of North America, which states in; "the moving, cleaning, oiling and carrying to the next point of erection, and the stripping of forms which are not to be re-used, and forms on all flat arch work shall be done by members of the Laborers' International Union of North America."

Group 2 Asphalt Raker, Screwman or Paver, Concrete Puddler, Kettle Man (pipeline), All Machine-Driven Tools (Gas, Electric, Air), Mason Tender, Brick Paver, Mortar Mixer, Skid Steer, Sheeting & Shoring Person, Surface Grinder Person, Screedperson, Water Blast, Hand Held Wand, Power Buggy or Power Wheelbarrow, Paint Striper, Plastic fusing Machine Operator, Rodding Machine Operator, Pug Mill Operator, Operator of All Vacuum Devices Wet or Dry, Handling of all Pumps 4 inches and under (gas, air or electric), Diver, Form Setter, Bottom Person, Welder Helper (pipeline), Concrete Saw Person, Cutting with Burning Torch, Pipe Layer, Hand Spiker (railroad), Underground Person (working in sewer and waterline, cleaning, repairing and reconditioning). Tunnel Laborer (without air), Caisson, Cofferdam (below 25 feet deep), Air Track and Wagon Drill, Sandblaster Nozzle Person, Hazardous Waste (level B), ***Lead Abatement, Hazardous Waste (level C) ***Includes the erecting of structures for the removal, including the encapsulation and containment of Lead abatement process.

Group 3 Blast and Powder Person, Muckers will be defined as shovel men working directly with the miners, Wrencher (mechanical joints & utility pipeline), Yarnier, Top Lander, Hazardous Waste (level A), Concrete Specialist, Curb Setter and Cutter, Grade Checker, Concrete Crew in Tunnels. Utility pipeline Tappers, Waterline, Caulker, Signal Person will receive the rate equal to the rate paid the Laborer classification for which the Laborer is signaling.

Group 4 Miner, Welder, Gunite Nozzle Person A.) The Watchperson shall be responsible to patrol and maintain a safe traffic zone including but not limited to barrels, cones, signs, arrow boards, message boards etc. The responsibility of a watchperson is to see that the equipment, job and office trailer etc. are secure.

Prevailing Wage Rate Skilled Crafts

Name of Union: Labor Local 83

Type of Rate: Commercial

Change #:
LCN01-2026ib

Craft:
Laborer

Effective Date:
7/1/2026

Effective Date:
7/1/2026

	BHR		Fringe Benefit Payments					Irrevocable Fund		Total PWR	Overtime Rate	
			H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)			MISC (*)
Classification												
Laborer Group 1	\$42.39		\$9.45	\$4.60	\$0.40	\$0.00	\$2.00	\$0.00	\$0.15	\$0.14	\$59.13	\$80.33
Group 2	\$42.64		\$9.45	\$4.60	\$0.40	\$0.00	\$2.00	\$0.00	\$0.15	\$0.14	\$59.38	\$80.70
Group 3	\$42.79		\$9.45	\$4.60	\$0.40	\$0.00	\$2.00	\$0.00	\$0.15	\$0.14	\$59.53	\$80.92
Apprentice	BHR	Percent										
0-1000 hrs	\$25.44	\$60.02	\$9.45	\$4.60	\$0.40	\$0.00	\$2.00	\$0.00	\$0.15	\$0.14	\$42.18	\$54.90
1001-2000 hrs	\$29.68	\$70.02	\$9.45	\$4.60	\$0.40	\$0.00	\$2.00	\$0.00	\$0.15	\$0.14	\$46.42	\$61.26
2001-3000 hrs	\$33.92	\$80.02	\$9.45	\$4.60	\$0.40	\$0.00	\$2.00	\$0.00	\$0.15	\$0.14	\$50.66	\$67.62
3001-4000 hrs	\$38.16	\$90.02	\$9.45	\$4.60	\$0.40	\$0.00	\$2.00	\$0.00	\$0.15	\$0.14	\$54.90	\$73.98
More than 4000 hrs	\$42.39	\$100.00	\$9.45	\$4.60	\$0.40	\$0.00	\$2.00	\$0.00	\$0.15	\$0.14	\$59.13	\$80.33

(*)Special Calculation Note :

All Hazardous & High Work performed in excess of 25 ft. above solid base shall pay .25 per hour above Classification.

In the erection, alteration, repair or demolition of reinforced concrete chimneys, masonry chimneys, silos, and furnaces, the following rates shall apply: 25- 100 ft. \$1.00 per hour/over base rate 100-150 ft. \$1.25 per hour/over base rate 150-200 ft. \$1.50 per hour/over base rate 200-250 ft. \$1.75 per hour/over base rate Over 250 ft. \$2.00 per hour/over base rate

Ratio :

1 Journeyman to 1 Apprentice
4 Journeymen to 1 Apprentice

Jurisdiction (* denotes special jurisdictional note) :

Adams, Athens, Gallia, Highland, Jackson, Lawrence, Meigs, Pike, Ross, Scioto, Vinton

Special Jurisdictional Note :

Details :

Group 1 Building & Construction Laborers, Signalman, Plaster Tenders, Carpenter Tenders, Mason Tenders, Mortar Mixers, Pipe Layers, Bottom Man, Sheeting & Shoring Men, Watchmen & Waterboy.

Group 2 Air & Machine Driver Tool Operators, Hand Spikers, Chain Saws, Powered Concrete Buggies, Asphalt Rakers & Smoothers, Form Setters (Street & Highway) Burning & Cutting Torches

Group 3 Gunnite Machine Operator, Gunnite Nozzle Man, Powder Men & Blasters, Miners (Tunnel & Caisson) Muckers (Tunnel & Caisson).

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

Prevailing Wage Rate Skilled Crafts

Name of Union: Operating Engineers - HevHwy Zone II

Type of Rate: Commercial

Change #:
LCN01-2026ib

Craft:
Operating Engineer

Effective Date:
5/1/2026

Effective Date:
5/1/2026

	BHR		Fringe Benefit Payments						Irrevocable Fund		Total PWR	Overtime Rate
			H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)	MISC (*)		
Classification												
Operator Class A	\$47.29		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$64.74	\$88.39
Operator Class B	\$47.17		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$64.62	\$88.20
Operator Class C	\$46.13		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$63.58	\$86.65
Operator Class D	\$44.95		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$62.40	\$84.88
Operator Class E	\$39.49		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$56.94	\$76.69
Master Mechanic	\$48.29		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$65.74	\$89.89
Lift Director	\$48.29		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$65.74	\$89.89
Crane and Mobile Concrete Pump 150' - 179'	\$47.79		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$65.24	\$89.14
Crane and Mobile Concrete Pump 180' - 249'	\$48.29		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$65.74	\$89.89
Crane and Mobile Concrete Pump 250' and Over	\$48.54		\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$65.99	\$90.26
Apprentice	BHR	Percent										
1st Year	\$23.64	\$50.00	\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$41.09	\$52.91
2nd Year	\$28.37	\$60.00	\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$45.82	\$60.00
3rd Year	\$33.10	\$70.00	\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$50.55	\$67.10
4th Year	\$37.83	\$80.00	\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.10	\$55.28	\$74.19
Field Mech Trainee	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$	\$
1st year	\$28.37	\$60.00	\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.00	\$45.72	\$59.91
2nd year	\$33.10	\$70.00	\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.00	\$50.45	\$67.00
3rd year	\$37.83	\$80.00	\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.00	\$55.18	\$74.09
4th year	\$42.56	\$90.00	\$10.01	\$6.25	\$1.00	\$0.00	\$0.00	\$0.09	\$0.00	\$0.00	\$59.91	\$81.19

(*)Special Calculation Note :

Other: Education & Safety Fund
Misc: National Training

**Apprentices will receive a 10% increase on top of the percentages listed above provided they are operating mobile equipment.

Ratio :

For every (3) Operating Engineer Journeymen employed by the company, there may be employed (1) Registered Apprentice or Trainee Engineer through the referral when they are available. An Apprentice, while employed as part of a crew per Article VIII, paragraph 68 will not be subject to the apprenticeship ratios in this collective bargaining agreement

Jurisdiction (* denotes special jurisdictional note) :

Adams, Allen, Ashland, Athens, Auglaize, Belmont, Brown, Butler, Carroll, Champaign, Clark, Clermont, Clinton, Coshocton, Crawford, Darke, Defiance, Delaware, Fairfield, Fayette, Franklin, Fulton, Gallia, Greene, Guernsey, Hamilton, Hancock, Hardin, Harrison, Henry, Highland, Hocking, Holmes, Huron, Jackson, Jefferson, Knox, Lawrence, Licking, Logan, Lucas, Madison, Marion, Meigs, Mercer, Miami, Monroe, Montgomery, Morgan, Morrow, Muskingum, Noble, Ottawa, Paulding, Perry, Pickaway, Pike, Preble, Putnam, Richland, Ross, Sandusky, Scioto, Seneca, Shelby, Stark, Tuscarawas, Union, Van Wert, Vinton, Warren, Washington, Wayne, Williams, Wood, Wyandot

Special Jurisdictional Note :

Details :

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

Class A - Air Compressors on Steel Erection; Asphalt Plant Engineers (Cleveland District Only); Barrier Moving Machine; Boiler Operators, Compressor Operators, or Generators, when mounted on a rig; Boom Trucks (all types); Cableways; Cherry Pickers; Combination- Concrete Mixers & Towers; Concrete Plants (over 4 yd capacity); Concrete Pumps; Cranes (all types); Compact Cranes track or rubber over 4,000 pounds capacity; Cranes self-erecting stationary, track or truck; Derricks (all types); Draglines; Dredges dipper, clam or suction; Elevating Graders or Euclid Loaders; Floating Equipment (all types); Gradalls; Helicopter Crew (Operator- hoist or winch); Hoes (all types); Hoisting Engines; Hoisting Engines, on shaft or tunnel work; Hydraulic Gantry (lifting system); Industrial-type Tractors; Jet Engine Dryer (D8 or D9) diesel Tractors; Locomotives (standard gauge); Maintenance Operators/Technicians (class A); Mixers, paving (single or double drum); Mucking Machines; Multiple Scrapers; Piledriving Machines (all types); Power Shovels, Prentice Loader; Quad 9 (double pusher); Rail Tamper (with automatic lifting and aligning device); Refrigerating Machines (freezer operation); Rotary Drills, on caisson work; Rough Terrain Fork Lift with winch/hoist; Side Booms; Slip Form Pavers; Survey Crew Party Chiefs; Tower Derricks; Tree Shredders; Trench Machines (over 24" wide); Truck Mounted Concrete Pumps; Tug Boats; Tunnel Machines and /or Mining Machines; Wheel Excavators.

Class B - Asphalt Pavers; Automatic Subgrade Machines, self-propelled (CMI-type); Bobcat-type and /or Skid Steer Loader with hoe attachment greater than 7000 lbs.; Boring Machine Operators (more than 48 inches); Bulldozers; Concrete Saws, Vermeer type; Endloaders; Horizontal Directional Drill (50,000 ft. lbs. thrust and over); Hydro Milling Machine; Kolman-type Loaders (production type-dirt); Lead Greasemen; Lighting and Traffic Signal Installation Equipment includes all groups or classifications; Maintenance Operators/Technicians, Class B; Material Transfer Equipment (shuttle buggy) Asphalt; Pettibone-Rail Equipment; Power Graders; Power Scrapers; Push Cats; Rotomills (all), Grinders and Planners of all types, Groovers (excluding walk-behinds); Trench Machines (24 inch wide and under).

Class C - A-Frames; Air Compressors, on tunnel work (low Pressure); Articulating/straight bed end dumps if assigned (minus \$4.00 per hour); Asphalt Plant Engineers (Portage and Summit Counties only); Bobcat-type and/or skid steer loader with or without attachments; Drones; Highway Drills (all types); HydroVac/Excavator (when a second person is needed, the rate of pay will be "Class E"); Locomotives (narrow gauge); Material Hoist/Elevators; Mixers, concrete (more than one bag capacity); Mixers, one bag capacity (side loader); Power Boilers (over 45 lbs. pressure); Pump Operators (installing or operating well Points); Pumps (4 inch and over discharge); Railroad Tie Inserter/Remover; Rollers, Asphalt; Rotovator (lime-soil Stabilizer); Switch & Tie Tamper (without lifting and aligning device); Utilities Operators, (small equipment); Welding Machines and Generators.

Class D - Backfillers and Tampers; Ballast Re-locator; Bar and Joint Installing Machines; Batch Plant Operators; Boring Machine Operators (48 inch or less); Bull Floats; Curapac and Curing Machines; Concrete Plants (capacity 4 yds. and under); Concrete Saws (multiple); Conveyors (highway); Crushers; Deckhands; Farm type tractors, with attachments (highway); Finishing Machines; Firemen, Floating Equipment (all types); Fork Lifts (highway), except masonry; Form Trenchers; Hydro Hammers; Hydro Seeders; Pavement Breakers (hydraulic or cable); Plant Mixers; Post Drivers; Post Hole Diggers; Power Brush Burners; Power Form Handling Equipment; Road Widening Trenchers; Rollers (brick, grade, macadam); Self-Propelled Power Spreaders; Self-Propelled Sub-Graders; Steam Firemen; Survey Instrument men; Tractors, pulling sheepfoot rollers or graders; Vibratory Compactors, with integral power.

Class E - Compressors (portable, Sewer, Heavy and Highway); Cranes-Compact, track or rubber under 4,000 pound capacity; Drum Firemen (asphalt plant); Fueling and greasing (Primary Operator with Specialized CDL Endorsement Add \$3.00/hr); Generators; Inboard-Outboard Motor Boat Launches; Masonry Fork Lifts; Oil Heaters (asphalt plant); Oilers/Helpers; Power Driven Heaters (oil fired); Power Scrubbers; Power Sweepers; Pumps (under 4 inch discharge); Signalperson; Survey Rodmen or Chainmen; Tire Repairmen; VAC/ALLS.

Master Mechanic - Master Mechanic

Cranes and Mobile Concrete Pumps 150' - 179' - Boom & Jib 150 - 179 feet Cranes and Mobile Concrete Pumps 180' - 249' - Boom & Jib 180 - 249 feet Cranes and Mobile Concrete Pumps 250' and over - Boom & Jib 250 feet or over

Prevailing Wage Rate Skilled Crafts

Name of Union: Truck Driver Locals 20,40,92,100,175,284,348,377,637,697,908,957 - Bldg & Hwy Class 1

Type of Rate: Commercial

Change #:
LCN01-2026ib

Craft:
Truck Driver

Effective Date:
5/1/2026

Effective Date:
5/1/2026

	BHR		Fringe Benefit Payments						Irrevocable Fund		Total PWR	Overtime Rate
			H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)	MISC (*)		
Classification												
Truck Driver CLASS 1	\$34.90		\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$55.75	\$73.20
Apprentice	BHR	Percent										
First 6 months	\$27.92	\$80.00	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$48.77	\$62.73
7-12 months	\$29.67	\$85.02	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$50.52	\$65.36
13-18 months	\$31.41	\$90.00	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$52.26	\$67.97
19-24 months	\$33.16	\$95.02	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$54.01	\$70.59
25-30 months	\$34.90	\$100.00	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$55.75	\$73.20

(*)Special Calculation Note :

Ratio :

3 Journeymen to 1 Apprentice

Jurisdiction (* denotes special jurisdictional note) :

Adams, Allen, Ashland, Ashtabula, Athens, Auglaize, Belmont, Brown, Butler, Carroll, Champaign, Clark, Clermont, Clinton, Columbiana, Coshocton, Crawford, Darke, Defiance, Delaware, Erie, Fairfield, Fayette, Franklin, Fulton, Gallia, Greene, Guernsey, Hamilton, Hancock, Hardin, Harrison, Henry, Highland, Hocking, Holmes, Huron, Jackson, Jefferson, Knox, Lawrence, Licking, Logan, Lorain, Lucas, Madison, Mahoning, Marion, Medina, Meigs, Mercer, Miami, Monroe, Montgomery, Morgan, Morrow, Muskingum, Noble, Ottawa, Paulding, Perry, Pickaway, Pike, Portage, Preble, Putnam, Richland, Ross, Sandusky, Scioto, Seneca, Shelby, Stark, Summit, Trumbull, Tuscarawas, Union, Van Wert, Vinton, Warren, Washington, Wayne, Williams, Wood, Wyandot

Special Jurisdictional Note :

Details :

CLASS 1: Drivers on trucks, including but not limited to: 4-wheel service trucks; 4-wheel dump trucks; batch trucks; drivers on tandems; truck sweepers (not to include power sweepers and scrubbers) Drivers on tractor – trailer combinations including but not limited to the following: Semi-tractor trucks; pole trailers; ready-mix trucks; fuel trucks; all trucks five (5) axle and over; drivers on belly dumps; truck mechanics (when needed).

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

Prevailing Wage Rate Skilled Crafts

Name of Union: Truck Driver Locals 20,40,92,100,175,284,348,377,637,697,908,957 - Bldg & HevHwy Class 2

Type of Rate: Commercial

Change #:
LCN01-2026ib

Craft:
Truck Driver

Effective Date:
5/1/2026

Effective Date:
5/1/2026

	BHR		Fringe Benefit Payments						Irrevocable Fund		Total PWR	Overtime Rate
			H&W	Pension	App Tr.	Vac.	Annuity	Other	LECET (*)	MISC (*)		
Classification												
Truck Driver CLASS 2	\$35.91		\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$56.76	\$74.72
Apprentice	BHR	Percent										
First 6 months	\$28.72	\$79.99	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$49.57	\$63.93
7-12 months	\$30.52	\$85.00	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$51.37	\$66.63
13-18 months	\$32.32	\$90.00	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$53.17	\$69.33
19-24 months	\$34.11	\$95.00	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$54.96	\$72.02
25-30 months	\$35.91	\$100.00	\$10.75	\$9.60	\$0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$56.76	\$74.72

(*)Special Calculation Note :

Ratio :

3 Journeymen to 1 Apprentice

Jurisdiction (* denotes special jurisdictional note) :

Adams, Allen, Ashland, Ashtabula, Athens, Auglaize, Belmont, Brown, Butler, Carroll, Champaign, Clark, Clermont, Clinton, Columbiana, Coshocton, Crawford, Darke, Defiance, Delaware, Erie, Fairfield, Fayette, Franklin, Fulton, Gallia, Greene, Guernsey, Hamilton, Hancock, Hardin, Harrison, Henry, Highland, Hocking, Holmes, Huron, Jackson, Jefferson, Knox, Lawrence, Licking, Logan, Lorain, Lucas, Madison, Mahoning, Marion, Medina, Meigs, Mercer, Miami, Monroe, Montgomery, Morgan, Morrow, Muskingum, Noble, Ottawa, Paulding, Perry, Pickaway, Pike, Portage, Preble, Putnam, Richland, Ross, Sandusky, Scioto, Seneca, Shelby, Stark, Summit, Trumbull, Tuscarawas, Union, Van Wert, Vinton, Warren, Washington, Wayne, Williams, Wood, Wyandot

Special Jurisdictional Note :

Details :

CLASS 2: Drivers on articulated dump trucks; rigid-frame rock trucks; distributor trucks; low boys/drag driver on the construction site only and heavy duty equipment (irrespective of load carried) when used exclusively for transportation on the construction site only.

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

ATH-2026 OEMA LANDSLIDE REPAIRS

ATHENS COUNTY, OHIO

SECTION VI

Boring Logs

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

PROJECT: OAKDALE ROAD SLIP		DRILLING FIRM / OPERATOR: DSI / DSI		STATION / OFFSET:		EXPLORATION ID												
TYPE: ROADWAY		SAMPLING FIRM / LOGGER: DSI / CTL		ALIGNMENT:		B-001-0-26												
PID: SFN:		DRILLING METHOD: 3.25" HSA / NQ2		ELEVATION: 779.9 (MSL) EOB: 18.0 ft.		PAGE												
START: 5/18/26 END: 5/18/26		SAMPLING METHOD: SPT / NQ2		COORD: Not Recorded		1 OF 1												
MATERIAL DESCRIPTION AND NOTES		ELEV.	DEPTHS	SPT/ RQD	N ₆₀	REC SAMPLE ID	HP (tsf)	GR	CS	FS	SI	CL	LL	PL	PI	WC	ODOT CLASS (GI)	ABANDONED
ASPHALT (8") MEDIUM STIFF, GRAYISH-BROWN, CLAY, SOME SAND, SOME SILT, CONTAINS ASPHALT PIECES, MOIST (FILL)		779.9	1	0														
		779.2	2	2	3	100	SS-1	0.75	-	-	-	-	-	-	-	-	32	A-7-6 (V)
			3															
			4	3	7	33	SS-2	-	-	-	-	-	-	-	-	-	-	A-7-6 (V)
			5															
		773.9	6	2		80	SS-3	1.50	-	-	-	-	-	-	-	-	28	A-7-6 (V)
STIFF, LIGHT GRAY, CLAY, LITTLE SAND, LITTLE SILT, MOIST (POSSIBLE FILL)		771.9	7	50/4"														
		769.9	8															
SANDSTONE, GRAY, SLIGHTLY WEATHERED, SLIGHTLY STRONG TO STRONG. @ 8.0'; Compressive Strength = 2,520 psi			9	50		55												CORE
			10															
			11															
			12	94	100													
			13															
			14															
			15															
			16															
			17															
		761.9	18															
			EOB															
NOTES: NONE																		
ABANDONMENT METHODS, MATERIALS, QUANTITIES: BACKFILLED WITH AUGER CUTTINGS																		

Official Bid Packet available at
Athens County Engineer's Office

PROJECT: OAKDALE ROAD SLIP		DRILLING FIRM / OPERATOR: DSI / DSI		STATION / OFFSET:		EXPLORATION ID													
TYPE: ROADWAY		SAMPLING FIRM / LOGGER: DSI / CTL		ALIGNMENT:		B-002-0-26													
PID: SFN:		DRILLING METHOD: 3.25" HSA / NQ2		ELEVATION: 779.1 (MSL) EOB: 20.5 ft.		PAGE													
START: 5/18/26 END: 5/18/26		SAMPLING METHOD: SPT / NQ2		COORD: Not Recorded		1 OF 1													
MATERIAL DESCRIPTION AND NOTES		ELEV.	DEPTHS	SPT/ RQD	N ₆₀	REC SAMPLE ID	HP (tsf)	GRADATION (%)				ATTERBERG				ODOT CLASS (GI)	ABANDONED		
ASPHALT (8") STIFF, BROWN, CLAY, SOME SAND, CONTAINS ASPHALT PIECES, DAMP (FILL)		779.1	1	2															
		778.4	2	2	7	100	SS-1	2.00											
			3	3															
VERY STIFF, GRAY, CLAY, SOME SAND		774.1	4	2	8	89	SS-2	1.75											
			5	3															
			6	5	20	67	SS-3	-											
CLAYSTONE, GRAY, SEVERELY WEATHERED. (SOIL-LIKE)		744.1	7	8															
			8																
			9																
SANDSTONE, GRAY, UNWEATHERED TO SLIGHTLY WEATHERED, SLIGHTLY STRONG TO STRONG. @ 11.0'; Compressive Strength = 3,450 psi		738.6	10	11	64	78	SS-4	-											
			11	22															
			12	26															
CORE			13	58															
			14																
			15																
			16																
			17																
			18																
			19																
			20																
		758.6	EOB																

NOTES: NONE

ABANDONMENT METHODS, MATERIALS, QUANTITIES: BACKFILLED WITH AUGER CUTTINGS

PROJECT: ATH-CR36-5.17			DRILLING FIRM / OPERATOR: DSI / DSI			DRILL RIG: DIEDRICH D-50			STATION / OFFSET:			EXPLORATION ID															
TYPE: ROADWAY			SAMPLING FIRM / LOGGER: CTL / CTL			HAMMER: DIEDRICH AUTOMATIC			ALIGNMENT:			B-001-0-26															
PID: SFN:			DRILLING METHOD: 3.25" HSA / NQ2			CALIBRATION DATE: N/A			ELEVATION: 1011.6 (MSL) EOB: 31.0 ft.			PAGE															
START: 5/19/26 END: 5/19/26			SAMPLING METHOD: SPT / NQ2			ENERGY RATIO (%): 80			COORD: Not Recorded			1 OF 2															
MATERIAL DESCRIPTION AND NOTES						ELEV.		DEPTHS		SPT/ RQD		N ₆₀		REC SAMPLE ID		HP (tsf)		GRADATION (%)		ATTERBERG		WC		ODOT CLASS (GI)		ABANDONED	
ASPHALT (10")						1010.8		1		12		39		44		SS-1		4.50		-		-		12		A-7-6 (V)	
HARD, BROWN, CLAY, "AND" SAND, SOME GRAVEL, CONTAINS ROCK FRAGMENTS AND ASPHALT PIECES, DRY (FILL)						1008.1		2		15		14															
HARD, TAN, CLAY, SOME SAND, DRY								3																			
CLAYSTONE, TAN, SEVERELY WEATHERED.						1005.6		4		5		19		100		SS-2		4.50		-		-		15		A-7-6 (V)	
@ 8.5'; TAN/RED						1003.6		5		6		73		100		SS-3		4.50		-		-		17		Rock (V)	
@ 11.0'; TAN						995.6		6		20		35															
SHALE, OLIVE GRAY, MODERATELY WEATHERED, MODERATELY STRONG.						993.6		7		3		53		89		SS-4		4.50		-		-		15		Rock (V)	
CLAYSTONE, OLIVE GRAY, MODERATELY WEATHERED, MODERATELY STRONG, MICACEOUS, MODERATE FRACTURING.						987.6		8		4		14		50.5"		SS-6		4.50		-		-		17		Rock (V)	
CLAYSTONE, DARK REDDISH-BROWN, SEVERELY WEATHERED. VERY WEAK.								9		1		1		1		1		1		1		1		1		1	

PROJECT: ATH-CR36-5.17		DRILLING FIRM / OPERATOR:		DSI / DSI		DRILL RIG: DIEDRICH D-50		STATION / OFFSET:										EXPLORATION ID		
TYPE: ROADWAY		SAMPLING FIRM / LOGGER:		CTL / CTL		HAMMER: DIEDRICH AUTOMATIC		ALIGNMENT:										B-002-0-26		
PID: SFN:		DRILLING METHOD: 3.25" HSA / NQ2		SPT / NQ2		CALIBRATION DATE: N/A		ELEVATION: 1010.4 (MSL) EOB: 30.0 ft.										PAGE		
START: 5/19/26 END: 5/19/26		SAMPLING METHOD:		SPT / NQ2		ENERGY RATIO (%): 80		COORD: Not Recorded										1 OF 2		
MATERIAL DESCRIPTION AND NOTES				ELEV.	DEPTHS	SPT/ RQD	N ₆₀	REC SAMPLE (%)	HP (tsf)	GR	CS	FS	SI	CL	LL	PL	PI	WC	ODOT CLASS (GI)	ABANDONED
ASPHALT (9")				1010.4	1	3														
				1009.6	2	4	12	72	SS-1	4.00										16
@ 3.5' HARD					3															
					4	5														
HARD, TAN/RED, CLAY, DAMP					5	3	15	89	SS-2	4.50								16	A-7-6 (V)	
					6	6														
CLAYSTONE, TAN, SEVERELY WEATHERED.				990.4	7	7	35	100	SS-3	4.50								16	A-7-6 (V)	
				990.9	8	10														
@ 13.5' GRAY					9	11		87	SS-4	4.50								14	Rock (V)	
					10	12														
CLAYSTONE, OLIVE GRAY, MODERATELY TO SEVERELY WEATHERED, MODERATELY STRONG. @ 20.0' to 22.0'; Highly Fractured					11	13		100	SS-5	4.50								13	Rock (V)	
					12	14	24	79	SS-6	4.50										14
					13	15														
					14	16	25													
					15	17	50/5"	100	SS-7										Rock (V)	
					16	18														
					17	19	50/0"	0	SS-8										Rock (V)	
					18	20														
				990.4	19	21	0	60											CORE	
					20	22														
					21	23	14	74											CORE	
					22	24														

Official Bid Packet available at
Athens County Engineer's Office

PID:	SFN:	PROJECT:	ATH-CR36-5.17	STATION / OFFSET:		START: 5/19/26			END: 5/19/26			PG 2 OF 2			B-002-0-26					
MATERIAL DESCRIPTION AND NOTES				ELEV.	DEPTHS	SPT/ RQD	N ₆₀	REC (%)	SAMPLE ID	HP (tsf)	GRADATION (%)			ATTERBERG		WC	ODOT CLASS (gi)	ABAN- DONED		
											GR	CS	FS	SI	CL	LL	PL	PI		
SHALE, OLIVE GRAY, HIGHLY TO SEVERELY WEATHERED, VERY WEAK. @ 26.0': Compressive Strength = 300 psi CLAYSTONE, OLIVE GRAY, MODERATELY WEATHERED, MODERATELY STRONG, HIGHLY FRACTURED. SHALE, GRAY, SLIGHTLY WEATHERED, MODERATELY STRONG.				985.4																
				984.4	26															
				983.4	27															
				982.4	28	60		100												CORE
					29															
				980.4	EOB 30															

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

NOTES: CAVED AT 25.2'
ABANDONMENT METHODS, MATERIALS, QUANTITIES: BACKFILLED WITH AUGER CUTTINGS

PROJECT: ATH-CR36-5.17		DRILLING FIRM / OPERATOR:		DSI / DSI		DRILL RIG: DIEDRICH D-50		STATION / OFFSET:		EXPLORATION ID					
TYPE: ROADWAY		SAMPLING FIRM / LOGGER:		CTL / CTL		HAMMER: DIEDRICH AUTOMATIC		ALIGNMENT:		B-003-0-26					
PID: SFN:		DRILLING METHOD: 3.25" HSA / NQ2				CALIBRATION DATE: N/A		ELEVATION: 1009.8 (MSL) EOB: 30.0 ft.		PAGE					
START: 5/19/26 END: 5/19/26		SAMPLING METHOD: SPT / NQ2				ENERGY RATIO (%): 80		COORD: Not Recorded		1 OF 2					
MATERIAL DESCRIPTION AND NOTES				ELEV.	DEPTHS	SPT/ RQD	N ₆₀	REC SAMPLE (%)	HP (tsf)	GRADATION (%)		ATTERBERG		ODOT CLASS (gl)	ABANDONED
ASPHALT (10")				1009.8	1										
				1009.0	2	2	15	100	3.75						
VERY STIFF, TAN, CLAY, "AND" SAND, MOIST (FILL)					3	4	7								
					4										
VERY STIFF, TAN, CLAY, MOIST				1006.3	5										
					6	3	19	89	2.75						
CLAYSTONE, TAN, SEVERELY WEATHERED.				993.8	7	8	26	100	4.50						
					8	26	69	100	4.50						
@ 11.0'; GRAY					9										
					10										
CLAYSTONE, TAN, HIGHLY WEATHERED, WITH INTERBEDDED SHALE.				993.8	11	43	75	84	4.50						
					12	43	75	84	4.50						
CLAYSTONE, OLIVE GRAY, MODERATELY TO HIGHLY WEATHERED, VERY WEAK. @ 21.0'; Compressive Strength = 490 psi					13										
					14	33	84	88	4.50						
CLAYSTONE, OLIVE GRAY, HIGHLY TO SEVERELY WEATHERED, VERY WEAK TO WEAK.					15	33	84	88	4.50						
					16	50/5"	-	100	SS-1	-					
					17										
					18										
					19	50/0"	-	0	SS-8	-					
					20										
				989.8	21	0		50							
					22										
					23										
					24	64		100							
				986.1											

Official Bid Packet available at
Athens County Engineer's Office

PID:	SFN:	PROJECT:	ATH-CR36-5.17	STATION / OFFSET:	START: 5/19/26	END: 5/19/26	PG 2 OF 2			B-003-0-26									
MATERIAL DESCRIPTION AND NOTES				ELEV.	DEPTHS	SPT/ RQD	N ₆₀	REC (%)	SAMPLE ID	HP (tsf)	GRADATION (%)			ATTERBERG		WC	ODOT CLASS (gi)	ABAN- DONED	
CLAYSTONE, OLIVE GRAY, HIGHLY TO SEVERELY WEATHERED, VERY WEAK TO WEAK. (continued)			984.8								GR	CS	FS	SI	CL	LL	PL	PI	
					26														
					27														
					28														
SHALE, DARK GRAY, SLIGHTLY WEATHERED, MODERATELY STRONG TO SLIGHTLY STRONG.			982.0			25		100											CORE
					29														
				979.8		30													
					EOB														

For Review Only
Official Bid Packet available at
Athens County Engineer's Office

NOTES: NONE
ABANDONMENT METHODS, MATERIALS, QUANTITIES: BACKFILLED WITH AUGER CUTTINGS